

QA-12012/1/2021-RARD-FSSAI (E-950)
भारतीय खाद्य सुरक्षा एवं मानक प्राधिकरण
Food Safety and Standards Authority of India
(खाद्य सुरक्षा एवं मानक अधिनियम, 2006 के तहत स्थापित एक वैधानिक प्राधिकरण)
(A Statutory Authority established under the Food Safety & Standards Act, 2006)
(गुणवत्ता आश्वासन प्रभाग) (Quality Assurance Division)
एफडीए भवन, कोटला रोड, नई दिल्ली – 110002

दिनांक/Date- As signed

विषय: एफएसएसएआई द्वारा मान्यता प्राप्त खाद्य परीक्षण प्रयोगशालाओं की वैधता ।

Subject: Validity of FSSAI recognised Food Testing Laboratories.

खाद्य सुरक्षा और मानक अधिनियम, 2006 और उसके तहत बनाए गए नियम और विनियम के तहत लिए गए खाद्य नमूनों का विश्लेषण करने के उद्देश्य से एफएसएसएआई द्वारा मान्यता प्राप्त प्रयोगशालाओं की सूची के साथ-साथ उनके एनएबीएल मान्यता की वैधता 09 अक्टूबर, 2026 और संपर्क विवरण इसके साथ संलग्न है।

२. उपरोक्त प्रयोगशालाओं की मान्यता और वैधता एफएसएसएआई द्वारा समय-समय पर जारी दिशा-निर्देशों या आदेशों द्वारा नियंत्रित होगी।

A list of FSSAI-recognised laboratories, along with the validity of their NABL accreditation as of 09th October 2026, and contact details, is enclosed herewith for the purpose of analysing food samples taken under the Food Safety and Standards Act, 2006, and the rules and Regulations made thereunder.

2. The recognition and validity of the aforementioned laboratories shall be governed by the guidelines or orders issued by FSSAI from time to time.

**Digitally signed by
balasubramanian k
Date: 09-10-2026
16:00:23**

बालसुब्रमण्यन के /Balasubramanian K
संयुक्त निदेशक - (गु. आ)/Joint Director - QA
एफएसएसएआई, नई दिल्ली/FSSAI, New Delhi

प्रति (ईमेल के माध्यम से):

१. सभी खाद्य सुरक्षा आयुक्त
२. सभी एफएसएसएआई अधिसूचित प्रयोगशालाएं

सूचना के लिए प्रतिलिपि (ईमेल के माध्यम से):

१. अध्यक्ष के निजी सचिव, एफएसएसएआई, नई दिल्ली
२. मुख्य कार्यकारी अधिकारी के निजी सचिव, एफएसएसएआई, नई दिल्ली
३. कार्यकारी निदेशक (सी.एस), एफएसएसएआई, नई दिल्ली.
४. निदेशक (आयात), एफएसएसएआई, नई दिल्ली
५. मुख्य प्रौद्योगिकी अधिकारी एफएसएसएआई, नई दिल्ली-एफएसएसएआई वेबसाइट पर अपलोड करने के लिए

To (Through email):

1. All Food Safety Commissioners
2. All FSSAI Notified Laboratories

Copy for information to (Through email):

1. PS to Chairperson, FSSAI, New Delhi
2. PS to CEO, FSSAI, New Delhi
3. ED (CS), FSSAI, New Delhi
4. Director (TICD), FSSAI, New Delhi
5. CITO FSSAI, New Delhi, for upload on the FSSAI website.

FSSAI Notified NABL Accredited Food Testing Laboratories having valid NABL accreditation as on 09th October, 2026 for the purpose of carrying out Analysis of Samples taken under Section 47 of the Food Safety and Standards Act, 2006.										
S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : https://nabl-india.org/ under Laboratory Search			
Delhi			A. NORTHERN REGION							
1	AGSS Analytical & Research Lab (P) Ltd, Delhi C-37/2, Lawrence Road, Industrial Area, Delhi 110035	51/N/FSSAI/2018	TC-14844	Y	Dr. Shival Singh Tel: 011-45022985, Mob: 9311654060 Email: agsslabs@gmail.com	Mrs. Nidhi Gupta	18th Aug, 2027	18th Aug, 2027	Not Applicable	Not Applicable
2	Arbro Pharmaceuticals Private Limited, Delhi, 4/9, Kirti Nagar Industrial Area, New Delhi-110015	1/N/FSSAI/2014	TC-7375	Y	Ms. Silpi Kalita Quality Manager Phone: +91 11 4575 4575 Mobile:9650095867 Email: saurabharora@arbropharma.com	Ms. Megha Puri	22nd Nov, 2027	22nd Nov, 2027	Not Applicable	Not Applicable
3	Avon Food Lab Private Limited, Delhi C-35/23, Lawrence Road Industrial Area, Delhi 110035	23/N/FSSAI/2014	TC-11151	Y	Mr. Sunil Kochar(CEO), Tel:011-45202222, Mob No.9810004270, E-mail-sunil.kochar@avonfoodlab.com; marketing@avonfoodlab.com; qm@avonfoodlab.com	Ms. Paridhi sharma , Mr. Lalit Kumar Thakur Dr. Shashikanth Dara	14th Nov, 2026	14th Nov, 2026	Not Applicable	Not Applicable
4	Delhi Analytical Research Laboratory, Delhi Plot No. 2, Timber Block, Jhilmil, Industrial Area, New Delhi – 110095	48/N/FSSAI/2017	TC-5163	Y	Dr. Priyanka Mishra Tel: 011-43545890, Mobile: 9717324010 Email: darltesting@gmail.com, info@darltesting.org	Ms. Simran Bhardwaj	25th Dec, 2026	25th Dec, 2026	Not Applicable	Not Applicable
5	FICCI Research and Analysis Centre, New Delhi, Plot No - 2A, Sector-8, Dwarka, New Delhi - 110077.	25/N/FSSAI/2014	TC-5275	Y	Mr.Karan Kohli Contact No.: 7042492155 Email Id: Karan@fraclabs.org, Info@fraclabs.org	Mr. Anil Kumar, Ms. Ritu Singh,	08th March, 2028	08th March, 2028	Not Applicable	Not Applicable
6	Food Laboratory, Department of Food Safety, Delhi, A-20, Lawrence Road, Industrial Area, Ring Road, New Delhi	59/N/FSSAI/2019	TC-12796	Y	Ms. Shamim Das -Food Analyst 09818427947 (Mob) E-mail id: foodlabpfa@gmail.com	As Notified by State Government	25th Dec, 2027	Not Applicable	Not Applicable	Not Applicable
7	Shree Krishna Analytical Services (Shree Krishna Analytical Services Pvt. Ltd.), New Delhi , SKAS Pharma Pvt. Ltd., A-5/4, Mayapuri Industrial Area, Phase –II, New Delhi	47/N/FSSAI/2017	TC-8932	Y	Mr. Rajesh Yadav (Proprietor) Mobile: 9811604864 Email: yadavayush@yahoo.com , shreekrishnalab@gmail.com, qa@skaslab.com	Mrs Mansi Rastogi	15th Jul, 2028	15th Jul, 2028	Not Applicable	Not Applicable
8	Sophisticated Industrial Materials Analytical Labs Private Limited, Delhi, A-3/7, MAYAPURI INDUSTRIAL AREA, PHASE-II, MAYAPURI Delhi, Pin - 110064	3/N/FSSAI/2014	TC-11220	Y	Mr. Siddharth Gupta (Director), 9871877213, 011- 43854300 E mail ID: corporate.qa@simalab.com qa@simalab.co.in	Mr. Raman Dwivedi; Ms. Rupa Rani Ms. Pratibha Rawat Ms. Pooja Mishra	14th Dec, 2026	14th Dec, 2026	Not Applicable	Not Applicable
9	Shriram Institute for Industrial Research, New Delhi 19, University Road, New Delhi-110007	15/N/FSSAI/2014	TC-5444	Y	Contact Person: Dr. Laxmi Rawat. Mob: 9818193810/08447705730, 011-27667267. Email:laxmirawat@shriraminstitute.org	Dr. Sumant Kumar Nayak Ms. Radhika Sharma Ms. Neha Gupta Mr. Dushyant Singh	14th Oct, 2027	14th Oct, 2027	14th Oct, 2027	Not Applicable
10	Central Revenues Control Laboratory, New Delhi, I.A.R.I., P.O.,Hill Side Road, Pusa, New Delhi - 110012	84/N/FSSAI/2021	NABL T0926DL19510	Y	Email : dir.crcl-cbec@nic.in; dr.mahesh1974@gov.in, Mob : 8879893490	Mr. Rajesh Kumar Mr. Yogesh Kumar	27th Jun, 2028	27th Jun, 2028	Not Applicable	Not Applicable
11	Standard Analytical Laboratory (ND) Private Limited, 69, Functional Industrial Estate, Patparganj, Delhi – 110092	19/N/FSSAI/2014	NABL T0926DL19580	N	Mr. Devanshu Shrivastav, Director, Mob: 09811110632, 08447498882, Email: info@testinglaboratoryindia.com, accounts@testinglaboratoryindia.com	Mr. Abhishek Mishra	07th Jul, 2030	07th Jul, 2030	Not Applicable	Not Applicable
12	Sigma Test and Research Centre, Delhi BA –15, Mangolpuri Industrial Area, Phase – II, Delhi-110034 (99, Badli Industrial Area Phase-2, New Delhi-110042)	10/N/FSSAI/2014	TC-15193	N	Mr. Rahul Gupta (Vice President) Email: rahul@sigmatest.org, info@sigmatest.org Tel: 011-49491414, Mobile: 09811565000	---	26th March, 2030	26th March, 2030	Not Applicable	Not Applicable
13	Delhi Test House, Delhi A-62/3, G.T.Karnal Road, Industrial Area, Opp. Hans Cinema, Azadpur, New Delhi-110033	7/N/FSSAI/2014	TC-14461	Y	Mr. M. C.Goel(Director) Tel :011- 47075555, 9310360377 Email:info@delhitesthouse.com, sonia@delhitesthouse.com	Mr Ashish Kumar Shukla Ms. Poonam Rawat	2nd March, 2028	2nd March, 2028	Not Applicable	Not Applicable
14	ITL Labs Private Limited, Delhi B-283-284, Mangolpuri, Industrial Area,Phase- I, Delhi- 110083	11/N/FSSAI/2014	TC-5133	N	Mr. Sanjay Mehra(Quality Manager) Tel:011-27915654,65368717, Fax No:011-27923339 Mobile: +91 9811055913 Email: itl94@hotmail.com, itllabs@gmail.com, qa.itllabs@gmail.com	---	23rd Jan, 2030	23rd Jan, 2030	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : https://nabl-india.org/ under Laboratory Search			
15	Centre for Environment and Food Technology Pvt. Ltd., New Delhi 17, DLF Industrial Area, 1st & 2nd Floor, Moti Nagar, New Delhi-110015	56/N/FSSAI/2019	TC-6145	N	Dr. B.P. Nilaratna Contact No.011-45012722, 09811707270 E-mail: info@ceftlab.com;	---	03rd Jul, 2029	03rd Jul, 2029	Not Applicable	Not Applicable
Haryana										
16	Centre for Food Research and Analysis (CFRA), NIFTEM, Sonipat Plot No. 97, Sector-56, HSIIDC, Industrial Estate, Kundli, Sonipat, Haryana-131028	63/N/FSSAI/2021	TC-4009	Y	Dr.Komal Chauhan E-mail: info.cfra@niftem.ac.in, ftl.niftem@gmail.comTel: 0130-2281078, 2281142/53/55 Mob:9466000672 KISHAN PAL SINGH info.cfra@niftem.ac.in 9312790109	Mr. Satish Chandra Kushwaha, Dr. Anupama Deora, Mr. Zober Alam Khan	02nd July,2027	02nd July,2027	Not Applicable	Not Applicable
17	Eureka Analytical Services Pvt. Ltd., 31st Milestone, Main GT Road, Kundli, Sonipat, Haryana	65/N/FSSAI/2021	TC-9108	Y	HEMALATHA Tel No. : 8748037689 Email : bhemalatha@eurekaserv.com	Ms. Renu Singh	16th Nov, 2026	16th Nov, 2026	Not Applicable	Not Applicable
18	Fare Labs Private Limited, Gurgaon L17/3, DLF-Phase-II M.G. Road, Gurgaon- 122002, Haryana	16/N/FSSAI/2014	TC-5503	Y	Mr. D. Mathur (Director) Tel: 0124-4034205, Fax: 0124-4036038 Mobile: 09312664533 Email: farelabs@farelabs.com	Ms. Rita Singh Ms. Chhaya Shakya Ms. Monika Chauhan	12th Jan, 2028	12th Jan, 2028	12th Jan, 2028	Mechanical: 12th Jan, 2028
19	HTH Laboratories Pvt. Ltd., 50-C, Sector-25, Part-II, Huda, Panipat, Haryana	31/N/FSSAI/2016	TC-7811	Y	Rishabh Dua (Director) Mobile:9991675756/ 8607770160 Email: haryanatesthousecs@gmail.com testing@hthlabs.com	Mr. Basudev Singh	16th Oct, 2026	16th Oct, 2026	Not Applicable	Not Applicable
20	Alpha Test House, Bahadurgarh 198-199, MIE., Phase-1, Industrial Area, Bahadurgarh, Haryana	53/N/FSSAI/2018	TC-6446	N	Mr. Abhishek Shukla (Quality Manager) Contact No: 8130453334 Email: info@alphatesthouse.com, support@alphatesthouse.com	---	9th Oct, 2029	9th Oct, 2029	Not Applicable	Not Applicable
21	National Commodities Management Services Limited - CommGrade - Testing Services Regional Laboratory, (North) Plot -883 (3rd Floor), Phase V, Udyog Vihar, Gurugram, Haryana	52/N/FSSAI/2018	TC-6507	Y	Contact Person : akshaya.g@ncml.com 9821100264 Mr. Akshaya Gupta, raj.kap@ncml.com 9415574852 Mr. Raj Kapoor iram.k@ncml.com 9910109331 Ms. Iram Khannum Ph: 0124-4691451, 0124-4691472 Email Id: akshaya.g@ncml.com 9821100264	Mr. Raj Kapoor Ms. Deeksha Yadav	23rd Feb, 2028	23rd Feb, 2028	Not Applicable	Not Applicable
22	SGS India Private Limited, Manesar, Gurgaon Plot No. 21, Sector-2, IMT Manesar, Gurgaon District, Haryana-122050	6/N/FSSAI/2014	TC -7132	Y	Jyoti Goyal , 9643898006, jyoti.goyal@sgs.com; Ms. Charu Gusain, Charu.Gusain@sgs.com,9671225159; Mr. Swapnil Suman, Swapnil.suman@sgs.com, 8655467930	Ms. Jyoti Goyal Mr. Vinay Vikram Singh Ms. Sonia Kumari Mr. Sardar Abdul Hameed Khan Mr. Rahul Kumar Tomar	30th March, 2028	30th March, 2028	Not Applicable	Not Applicable
23	District Food Laboratory, Karnal, Govt. Polyclinic, Sector-16, Karnal-132001	73/N/FSSAI/2021	TC-9399	Y	Contact Person : POONAM DEVI Tel No. : 9416196939 Email : fdadfl900@gmail.com	As Notified by State Government	04th April, 2027	04th April, 2027	Not Applicable	Not Applicable
24	State Food, Water & Excise Laboratory, Chandigarh, Haryana, Sector-11D, Chandigarh, Haryana	77/N/FSSAI/2021	TC-9474	Y	Tel No. : 9467404827 Fax No. : Email : statefoodlab@gmail.com Contact Person : MANISHA BOORA Dr Shiv Prakash Singh Sr. Technical Manager 9650686979 drshiv@vardan.co.in	As Notified by State Government	25th April,2027	25th April,2027	Not Applicable	Not Applicable
25	Vardan Enviro Lab, Gurgaon, Plot No. 82A, Sector 5, IMT Manesar, Gurgaon - 122051, Haryana	85/N/FSSAI/2022	TC-6299	Y	Gaurav Pratap Singh Quality Manager +91 9015719913 gaurav@vardan.co.in	Mr. Dharmendra Kumar Dixit, Ms. Deeksha Chauhan, Mr. Suvojit Das	27th Aug, 2028	27th Aug, 2028	Not Applicable	Not Applicable
26	Saturn Quality Certifications Private Limited, V-17, MODERN INDUSTRIAL ESTATE, RED CROSS ROAD, Bahadurgarh, Haryana	27/N/FSSAI/2014	TC-7113	N	Dr.Smruti Babbar (Director & Quality Manager) Tel: 01276267125 Mobile: 9212190099, 09310154321 Email: lab@saturngroupindia.com, info.saturnqc@gmail.com	---	31st March, 2029	31st March, 2029	31st March, 2029	Not Applicable
27	Choksi Laboratories Limited, Panchkula Plot No. 198, Ground Floor, Industrial Area, Phase-II, Panchkula, Haryana, India	24/N/FSSAI/2014	TC-17561	Y	Mr. Satish Joshi (Director) Tel: 0172-5048601 Mobile: 7973647086, 7973606024 Email: Panchkula@choksilab.com, accounts.pkl@choksilab.in qa.pkl@choksilab.in	Mr. Satish Chandra Joshi	11th Nov, 2028	11th Nov, 2028	Not Applicable	Not Applicable
28	Dove Research & Analytics, Panchkula Plot No. 298, Industrial Area, Phase-II, Panchkula-134109, Haryana	30/N/FSSAI/2016	TC-4063	N	Mr. Anil Arya (M.D) Tel: 0172-5010127; Mobile: 09876971976 Email: drachd@gmail.com	---	30th Jan, 2029	30th Jan, 2029	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : https://nabl-india.org/ under Laboratory Search			
29	Eurofins Analytical Services India Private Limited Plot no. 157, Udyog vihar, Phase-I, Gurugram, Haryana, INDIA	38/N/FSSAI/2016	TC-6400	Y	Dr. Pankaj Jaiminy Managing Director Email: Pankaj.Jaiminy@xoin.eurofinsasia.com Mob: 08700600103 Ms. Arti Trivedi Manager-Lab Operations Email: Arti.Trivedi@xoin.eurofinsasia.com Mob: 08951957643	Ms. Anjali Tiwari, Mr. Kamlesh Maurya; Ms. Tanvi Vishnoi	14th March, 2027	14th March, 2027	Not Applicable	Not Applicable
30	Intertek India Private Limited (Food Services), Gurgaon Plot No#68,Udyog Vihar, Phase-1, Gurgoan,Haryana-122016	13/N/FSSAI/2014	TC-6434	Y	Mr. Ashish Gupta, Director-Food Services ashish.gupta@intertek.com +91-9910170744 Ms. Heena Srivastava, Lab Head, Gurgaon Lab heena.srivastava@intertek.com +91-9718194755 Ms. Aditi Gupta, Quality Manager, Gurgaon Lab aditi.gupta@intertek.com +91-9643029304	Mr. Akash Mahadev Zade; Ms. Kanchan; Ms. Sapna Chand.	18th Nov, 2026	18th Nov, 2026	Not Applicable	Not Applicable
31	Idma Laboratories Ltd, Panchkula Idma Complex: 391, Industrial Area-Phase I, Panchkula HARYANA, INDIA – 134 113	44/N/FSSAI/2017	NABLT0826HR18896	Y	Mr. Ankush Aggarwal (Managing Director) Tel: 0172-5064827, 5064830, Fax: 0172-2583587 Email: testing@idmalab.co.in, raj@idmalab.co.in	Mr. Balbir Singh, Mrs. Indra Rai	4th Aug, 2028	4th Aug, 2028	Not Applicable	Not Applicable
32	Fare Labs Private Limited (Location 2),D-28, Infocity II, Sector 33, Gurgaon, Haryana	90/N/FSSAI/2026	TC-14511	Y	Mr. D. Mathur Email: qafld28@farelabs.com Tel: +91-124-4223207 Mob: 9289351688	Mr. Ayush Agarwal Ms. Nidhi	13th Dec 2026	13th Dec 2026	13th Dec 2026	13th Dec 2026
Himachal Pradesh										
33	Composite Testing Laboratories, Kandaghat Distt., Solan,Kandaghat, Distt. Solan,H.P-173215	81/N/FSSAI/2021	TC-9547	Y	RIPU DAMAN KUMAR 9418878254 ctlkandaghat@gmail.com	As Notified by State Government	24th May, 2027	Not Applicable	Not Applicable	Not Applicable
34	Auriga Research Limited, Baddi D.C. Complex, Opposite Gianz Hotel, Village Bagbania, Tehsil- Nalagarh, District – Solan -174101, Himachal Pradesh	33/N/FSSAI/2016	TC-5350	N	Mr. Surinder Tel: 01795 32445, Mobile: +91 9318759781 Email : baddi@aurigaresearch.com Nitin sharma, 9857000910 nitin.sharma@aurigaresearch.com	---	25th Nov, 2029	25th Nov, 2029	Not Applicable	Not Applicable
Jammu & Kashmir										
35	Public Health Laboratory, Jammu, Patoli Mangotrian, Jammu-180007	74/N/FSSAI/2021	TC-17453	Y	Contact Person : SUMIT SINGH Tel No. : 9796201517 Fax No. : Email : publicanalystjammu@gmail.com	As Notified by State Government	20th Jan, 2028	Not Applicable	Not Applicable	Not Applicable
36	Food Laboratory Kashmir, Dalgate, Srinagar, Jammu & Kashmir	75/N/FSSAI/2021	TC-9541	Y	Contact Person : Raies Ahmad Bhat Tel No. : 7006613540 Fax No. : Email : publicanalystkashmir63@gmail.com	As Notified by State Government	20th May,2027	Not Applicable	Not Applicable	Not Applicable
Punjab										
37	Punjab Biotechnology Incubator, Mohali Knowledge City, Sector-81, SAS Nagar, Mohali, Punjab, India	8/N/FSSAI/2014	TC-12762	Y	Dr. Ajit Dua (CEO) Tel :0172-5020891/95 Fax: 0172-5020895 Mobile : 09915514974 Email: pbt2005@yahoo.com	Mr. Amit Agarwal	24th July 2027	24th July 2027	Not Applicable	Not Applicable
38	Food Laboratory (FDA), Punjab FDA Building, Near Civil Hospital, Kharar-140201, SAS Nagar, Punjab	66/N/FSSAI/2021	TC-9014	Y	E-mail: navdeepnitij75@gmail.com Contact Person: Navdeep Kaur Mobile: 9888637895	As Notified by State Government	27th Dec, 2026	Not Applicable	Not Applicable	Not Applicable
39	Bali Test House Private Limited, Ludhiana Streetno.12,JeevanNagar,focal Point, Phase– V, Ludhiana, Punjab– 141010	9/N/FSSAI/2014	TC-12769	N	Mr. Abhishek Bali (Director) Tel:0161-2670036/37/38, Fax: 0161-2671037, Mobile: 08427181000 Email: info@bth.co.in , balitesthouse@gmail.com	---	15th Feb, 2029	15th Feb, 2029	Not Applicable	Not Applicable
Rajasthan										

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : https://nabl-india.org/ under Laboratory Search			
40	ISSPL Limited 1st and 2nd Floor, B-11G, CEG Tower, Industrial Area, Malviya Nagar, Jaipur, Rajasthan	22/N/FSSAI/2014	TC-5843	Y	Dr Vikas Gupta Email ID: Vikas.Gupta@isspl.com Contact Number/Mob: 9634063932 Ms. Pushpa Sharma Email ID: lab@irclass.org Contact Number/Mob: 9899452551	Ms. Reena Gupta Mr. Vijay Kumar Chejara	2nd Mar, 2027	2nd Mar, 2027	Not Applicable	Not Applicable
41	JAGDAMBA LABORATORIES (OPC) PRIVATE LIMITED, Jaipur 119, Solitaire Industrial Park, Phase 1st, dahmi Kallan, Bagru, Jaipur-303007	35/N/FSSAI/2016	TC-11837	Y	Ms. Gunjan Sharma (Director) Tel: 0141-2390604 Mobile: +91 9829124199 Email: jagdambalab4@gmail.com	Mr. Kuldeep Singh	12th Jan, 2028	12th Jan, 2028	Not Applicable	Not Applicable
42	National Test House (Ministry of Consumer Affairs, Food & Public Distribution, Department of Consumer Affairs) E-763, Road No. 9F-1, VKI area, Jaipur 302013, Rajasthan	36/N/FSSAI/2016	TC-5391	Y	Mr. Rakesh Saini (Scientist Incharge) Tel: 0141-2332057, 2332058, 09414046288 Email: nthjaipur-ca@nic.in, nthjaipur@gmail.com Debashis Bhattacharya 9883014235 nthjaipur-ca@nic.in	***	21st Aug, 2027	21st Aug, 2027	Not Applicable	21st Aug, 2027 (Mechanical, Electrical)
43	State Central Public Health Laboratory, Jaipur Mini Swasthya Bhawan, Sethi Colony, Mandir Marg, Jaipur, Rajasthan-302004	62/N/FSSAI/2020	TC-8946	Y	Sh Karan Singh Tanwar, Chief Public Analyst, E-mail id: chief.public.analyst@gmail.com Mob: 09414275826	Sh Karan Singh Tanwar	03rd Nov 2026	Not Applicable	Not Applicable	Not Applicable
44	Public Health Laboratory, Udaipur M. B Govt. Hospital Campus, Near Trauma Centre, Udaipur, Rajasthan-313001	68/N/FSSAI/2021	TC-9303	Y	Contact Person : Sh RAVI SETHI Tel No. : 8890017929 Email : food.analyst.udaipur@gmail.com	Sh RAVI SETHI	3rd March, 2027	Not Applicable	Not Applicable	Not Applicable
45	Public Health Laboratory, Bharatpur Company Bagh, Behind R.B.M. Hospital, Near Swasthya Bhawan, Bharatpur, Rajasthan-321001	70/N/FSSAI/2021	TC-9312	Y	Contact Person :Smt. NEETU GUPTA Tel No. : 9414920530 Fax No. : Email : phlbharatpur@gmail.com	Smt. NEETU GUPTA	07th March, 2027	Not Applicable	Not Applicable	Not Applicable
46	Public Health Laboratory, Jodhpur, C-27, Station Road, Jodhpur, Rajasthan, India	72/N/FSSAI/2021	TC-9402	Y	Contact Person :Sh ASHISH RATHORE Tel No. : 9460494050 public.analyst.jodhpur@gmail.com	Sh ASHISH RATHORE	4th April, 2027	Not Applicable	Not Applicable	Not Applicable
47	Public Health Laboratory, Banswara, Mahatma Gandhi Hospital Campus, Banswara, Rajasthan-327001	76/N/FSSAI/2021	TC-9465	Y	Contact Person : Sh ASHISH RATHORE 9460494050 Email : phlabbanswara@gmail.com	Sh ASHISH RATHORE	25th April,2027	Not Applicable	Not Applicable	Not Applicable
48	Public Health Laboratory, Bikaner, Rajasthan, Sardar Patel Medical College Campus, Bikaner, Rajasthan-334001	80/N/FSSAI/2021	TC-9598	Y	Sh Indrajeet Aretiya 9929637386 foodlabbikaner2019@gmail.com	Sh Indrajeet Aretiya	13th June, 2027	Not Applicable	Not Applicable	Not Applicable
49	Amol Pharmaceuticals Private Limited, Jaipur Analytical Division, E -362-364, Sitapura Industrial Area, Sitapura, Jaipur- 302022,Rajasthan	2/N/FSSAI/2014	TC-8197	Y	Mr. Girish Kumar Maheshwari (VP-Technical) Tel: 0141-2771132, 2771007/8, 2771150 Fax: 0141-2770744 Fax: 0141-2770744 e-mail id: Girishmaheshwari1960@gmail.com, girishmaheshwari1960@gmail.com	---	13th Dec, 2028	13th Dec, 2028	Not Applicable	Not Applicable
50	Public Health Laboratory, AjmerE-01, Behind Kamla Nehru T.B. Hospital, Jaipur Road, Ajmer, Rajasthan-305001	69/N/FSSAI/2021	TC-9269	Y	Contact Person : Smt. PRIYANKA SONI Tel No. : 9785522693 Email : publicanalyst.ajmer@gmail.com	Smt. PRIYANKA SONI	17th Feb 2027	Not Applicable	Not Applicable	Not Applicable
51	Omega Test House Private Ltd.(Omega Test House), Jaipur J-889, Phase III, Sitapura Ind. Area, Jaipur - 302022, Rajasthan	46/N/FSSAI/2016	TC-15122	Y	Mr. Trilok Singh (Quality/Technical Manager) Mob: +91 9414074020, +91 9829051363 Email: omegatesthouse@gmail.com	Mr. Ashok kumar mathur	31st Dec, 2027	31st Dec, 2027	Not Applicable	Not Applicable
52	Public Health Laboratory, Kota MBS Hospital campus near I.M.A hall, Nayapura, Kota-324001, Rajasthan	71/N/FSSAI/2021	TC-9330	Y	Contact Person : Sh Manish Gupta 9461100690, 7976564399 Email : fsslkota2015@gmail.com	As Notified by State Government	15th March, 2027	Not Applicable	Not Applicable	Not Applicable
Uttarakhand										
53	State Food and Drug Testing Laboratory, Rudrapur Old J.L.N Govt. Hospital Campus, Near Indra Chowk, Kichha Road, Udam Singh Nagar, Rudrapur, Uttarakhand	67/N/FSSAI/2021	TC-9125	Y	NISHANT TYAGI 9719229849 Email : sdfilusn@gmail.com	As Notified by State Government	01st Dec, 2026	Not Applicable	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : https://nabl-india.org/ under Laboratory Search			
54	Devansh Testing and Research Laboratory Private Limited, Haridwar 94, Shiv Ganga Industrial Estate, Lakeshari, Bhagwanpur-247661, Roorkee, Distt. Haridwar (U.K.)	26/N/FSSAI/2014	TC-6467	Y	Dr. Harendra Singh Chauhan (Technical Director) Tel: 01332-235415, Mobile: 09997644448, 09760234447 Email: dtrlpvtltd@gmail.com	Mr. Bijendra Pal Mr. Sarfraz Husain Mr. Anuj Kumar Ms. Stuti	23rd Nov, 2027	23rd Nov, 2027	Not Applicable	Not Applicable
Uttar Pradesh										
55	AES Laboratories Private Limited, Noida B-118, Phase-II, Noida-201305, Uttar Pradesh	18/N/FSSAI/2014	TC-6308	Y	Mr. Vishal Arora (Director) Tel : 0120-4646713, Mobile: +91 9811331569 Email: vishal.arora@aeslabs.com , tqm@aeslabs.com, Support@aeslabs.com	Mr. Prabhat Soni Mr Ashutosh Kumar	23rd Oct, 2027	23rd Oct, 2027	Not Applicable	23rd Oct, 2027(Mechanical, NDT)
56	National Food Laboratory, Ghaziabad (In PPP with Arbro Pharmaceuticals Pvt Ltd), Ahimsa Khand-II, Indirapuram, Ghaziabad, Uttar Pradesh	61/N/FSSAI/2020	TC-5351	Y	Sh. SS Raghav (Director), E-mail id: frslindia1971@gmail.com; ss.raghav@fssai.gov.in	Mr. Surender Singh Raghav Ms. Laxmibai S Dhakate Ms. Deepika Kachhwaha Ms. Ruby Mishra	23rd Feb, 2028	23rd Feb, 2028	Not Applicable	Not Applicable
57	Regional Public Analyst Laboratory, Fatehabad, Agra, Uttar Pradesh Bamrauli Katara. Near heritage institute of Hotel Management, Fatehabad, Agra, Uttar Pradesh-282006	79/N/FSSAI/2021	TC-9478	Y	Contact Person : BIJENDRA KUMAR Tel No. : 8979070719 Email : fsdalabagra@gmail.com Akhilesh kumar gupta fsdalabagra@gmail.com 7983032676	As Notified by State Government	27th July, 2027	Not Applicable	Not Applicable	Not Applicable
58	Government Public Analyst Laboratory, Lucknow Sector-C, Chetan Vihar, Aliganj, Lucknow, Uttar Pradesh	50/N/FSSAI/2017	TC-13779	Y	Sh. S.K. Pant (Assistant Commissioner Food & Drugs) Tel: 9889877598 Email: fdapant@gmail.com, skpant58@gmail.com, suraksha singh fdalab.lko@gmail.com 9415022269	As Notified by State Government	28th May, 2028	Not Applicable	Not Applicable	Not Applicable
59	Vimta Labs Ltd, Noida Reg. No. Sector-8, C 58, Block C, Noida, Gautam Budha Nagar, Uttar Pradesh	64/N/FSSAI/2021	NABLT0826UP19179	Y	Ms.Shaily Bhargava; shaily.bhargava@vimta.com Mobile - 9121009308 ; Apurv Sharma - Quality Manager Email: apurv.sharma@vimta.com Mobile:9100122625	Mr.Deepak Pant Ms. Surabhi Kumari	26th Aug, 2028	26th Aug, 2028	Not Applicable	Not Applicable
60	Atharva Laboratories Pvt. Ltd., Noida B-100, Phase-II, Noida-201 305, Uttar Pradesh (New address-D115A, Hosiery Complex, Block D, Noida Phase-2, Uttar Pradesh)	41/N/FSSAI/2016	TC-6319	N	Director Name - Mr Sandeep Kumar Jindal Contact number : 7065088001 Tel: 0120-4559212, 4324818 Fax: 0120-4324818 Mob: 9315142851, 7827983858 Email ID : sandeep.jindal@atharvalab.com, Contact@atharvalab.com, info@atharvalab.com	---	12th Jan, 2029	12th Jan, 2029	Not Applicable	Not Applicable
61	Regional Public Analyst Laboratory, Jhansi M.L.B. Medical College Campus, Jhansi, Uttar Pradesh	54/N/FSSAI/2018	TC-6890	N	Dr Anoop chandra Tel: 0510-2440280, Fax: 0510-2440280 Mobile: 09889877598 Email: noopchandra09@gmail.com; fdajhansi88@gmail.com fdapant@gmail.com, fsdalabjhansi@gmail.com;	As Notified by State Government	09th Nov, 2028	Not Applicable	Not Applicable	Not Applicable
62	Regional Public Analyst Laboratory, Varanasi, Uttar Pradesh CHC Campus, Shivpur, Varanasi, Uttar Pradesh-221003	82/N/FSSAI/2021	TC-9429	Y	UMESH CHANDRA GANGWAR 9451403565 labvaranasi5@gmail.com Anil Kumar verma 9453526045 labvaransi5@gmail.com	As Notified by State Government	15th April, 2027	Not Applicable	Not Applicable	Not Applicable
63	Regional Government Public Analyst Laboratory, Gorakhpur, BRD Medical Campus, Gorakhpur, Uttar Pradesh	60/N/FSSAI/2020	TC-7904	Y	Sh. K.P. Singh Tel: +91-9415467712 E-mail id: fsdalab.gkp@gmail.com, divisionalfsdagkp@gmail.com RS Chauhan rschauhanfdaup@gmail.com 8840465770	As Notified by State Government	15th Feb, 2027	Not Applicable	Not Applicable	Not Applicable
64	Regional Public Analyst Laboratory, Meerut Lala Lajpat Rai Medical College Campus, Garh Road, Meerut, Uttar Pradesh	86/N/FSSAI/2023	TC-16466	Y	Dr. Atul Prakash Sharma & Ankur Bajpai, 09415811881, atulpsharma@gmail.com	As Notified by State Government	20th July,2027	Not Applicable	Not Applicable	Not Applicable
65	QC Lab, Shriram Food & Pharma Research Centre, AO-150, Second Floor, Amrit Steel Compound, UPSIDC Industrial Area, Gt Road, Ghaziabad, Uttar Pradesh	89/N/FSSAI/2025	TC-12803	Y	Mr. M.V. Tyagi Email: sfprc2022@gmail.com mobile: 9306916052	Mr. Man Virendra Tyagi	27th Dec, 2027	27th Dec, 2027	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : https://nabl-india.org/ under Laboratory Search			
66	National Test House (Northern Region), Ghaziabad Kamla Nehru Nagar, Ghaziabad – 201 002	42/N/FSSAI/2016	TC-6870	Y	Mr Rajesh Kumar Mob: 07003775955 E-mail: nthnr-ca@nic.in; Mr Abhishek, 9831386544	Mr. Sudhakar Jaiswal	03rd Feb, 2027	03rd Feb, 2027	Not Applicable	03rd Feb, 2027 (Mechanical)
67	Eko Pro Engineers Private Limited, Ghaziabad 32/41, South side of G.T. Road, UPSIDC Industrial Area, Ghaziabad-201009, U.P.	28/N/FSSAI/2014	NABLT0926UP19536	Y	Mr. Amit Saxena (Quality Manager) Mobile: +91 9810243870 Email: ekoproengineers@gmail.com	Ms. Purnima Chauhan Mr. Monu	03rd Jul 2028	03rd Jul 2028	Not Applicable	Not Applicable
B. WESTERN REGION										
Dadra and Nagar Haveli, and Daman and Diu										
68	Konarch Research Foundation, Daman (A Division of Saga Research Laboratories Pvt. Ltd.) Plot No. 338/1, Behind Cricket Ground, Kachigam, Daman-396210	17/W/FSSAI/2014	NABLT0726DN18856	N	Mr. Girish Patel (Technical Manager) Tel: 0260-2244766, Mobile: 09377004366 Email: patel.girish@konarkgroup.com		30th July, 2030	30th July, 2030	Not Applicable	Not Applicable
Gujarat										
69	Accurate Universal Laboratories Private Limited, Ahmedabad D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahemdabad, Gujarat	26/W/FSSAI/2016	TC-5021	Y	Mr. Priyesh Amin (Director) Mobile: 09824014571/ 8866619102 Email: info@accuratelaboratory.in	Mr. Priyesh Amin Ms. Zalak Priyesh Amin Mr. Raval jigar Rajnikant Ms. Bhanu Kumari	26th March, 2027	26th March, 2027	Not Applicable	Not Applicable
70	HITECHLAB HEALTHCARE & RESEARCH CENTRE LLP 201-202, Sahaj Arcade, Ahmedabad, Gujarat	33/W/FSSAI/2016	TC-7613	Y	Dr. Rajanikant Patel (CEO) Tel: 079-40027452 Mob: 9099971271 Email: hitechlabindia@gmail.com	Ms. Nikita Rameshbhai Patel Mr. Patel Rajeshkumar Chhanabhai	25th Dec, 2026	25th Dec, 2026	Not Applicable	Not Applicable
71	Lilaba Analytical Laboratories LLP, Surat Block No. 327, Plot No. 88/89/90/91/92, Siddhivinayak Industrial Estate, Village Kholvad, Surat, Gujarat	52/W/FSSAI/2018	TC-7179	Y	Mr. Bhavesh Zinabhai Sojitra Tel: 0261-3222830/9099065245 Mobile: 9737704415 / 9824322298 Email: admin@lilabalabs.com	Ms. Jetal Rakeshbhai Vyas	19th Oct, 2027	19th Oct, 2027	Not Applicable	19th Oct, 2027(Mechanical)
72	Regional Food Laboratory, Rajkot Government of Gujarat, Near : Forensic Science Laboratory, University Road, Rajkot – 360 005, Gujarat	42/W/FSSAI/2018	TC-5421	Y	Mr. P.H. Bhagora (Junior Scientific Officer and Food Analyst) Mobile: 09427845823 do-64488-raj@gujarat.gov.in	As Notified by State Government	23rd Apr ,2028	Not Applicable	Not Applicable	Not Applicable
73	SGS India Private Limited, Ahmedabad 201, Sumel—II, Near Gurudwara, S.G Highway, Thaltej, Ahmedabad-380054	22/W/FSSAI/2014	TC-5378	Y	1. Ms. Purvi Shah, Laboratory Manager Tel: 079-61603100, Fax: 079-61603111 Mobile: 09898909220 Email: Purvi.Shah@sgs.com, purvi.shah@sgs.com 2. Mr. Hardik Thacker Landline: +91-7961603113 E-mail id: hardik.Thacker@sgs.com Minesh Makwana Minesh.Makwana@sgs.com 8980040624	Mr. Gokul Pandharinath Shinde	31st March, 2028	31st March, 2028	Not Applicable	Not Applicable
74	Gujarat Testlab Pvt. Ltd. , Ahmedabad F-16,17, Madhavpura Market, Shahibaug, Ahemdabad-380004	29/W/FSSAI/2016	TC-5961	Y	Mr. Hasmukh Amin (C.E.O) Tel: 079 - 25626040, 25624821 Mobile: 09825407980 Email: gujlab@gmail.com	Mr. Hemal Ratishbhai Darji Mr. Rupesh Desai Ms. Trupti Ashokkumar Thakor	11th March, 2028	11th March, 2028	Not Applicable	Not Applicable
75	Public Health Laboratory, Surat 2nd Floor, Vesu urban health center, Opp. Vesu fire station, VIP Road, Vesu, Surat - 395007 Gujarat	57/W/FSSAI/2021	TC-9536	Y	Contact Person : SHAHIDHUSEN A HARADWALA Tel No. : 6359773861 Fax No. : Email : phl@suratmunicipal.org	As Notified by State Government	18th May 2027	Not Applicable	Not Applicable	Not Applicable
76	Public Health Laboratory, Vadodara Municipal Corporation, 1st and 2nd Floor Old Vuda Building, Fatehgunj, Vadodara-390002, Gujarat.	58/W/FSSAI/2021	TC-9559	Y	Contact Person : MAHESHKUMAR L PATEL 9824117544 Email : phlvmc@gmail.com	As Notified by State Government	30th May, 2027	Not Applicable	Not Applicable	Not Applicable
77	Regional Food Laboratory, Bhuj New Lotus Ring road, Bhuj, Gujarat	43/W/FSSAI/2018	TC-6286	Y	Mr Dilip Kumar jethwa Jr. Scientific Officer & Food Analyst . 9428005947 Phone: 0281-2581029 Email: jethwadilip24@gmail.com, Email: rfl_bhuj@yahoo.in, Pravin7374@hotmail.com	As Notified by State Government	22nd Dec, 2027	Not Applicable	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : https://nabl-india.org/ under Laboratory Search			
78	Public Health Laboratory, Ahmedabad 1st Floor, Navrangpura Urban Health Centre, Opp. Devpath Building, B/h Lal Bunglow, C.G. Road, Ahmedabad – 380 009, Gujarat	45/W/FSSAI/2018	TC-7467	Y	Email: phlab.nabl@gmail.com Mandalia 09377201201 phlab.fssai@gmail.com	Dr Hiren As Notified by State Government	09th Nov 2026	Not Applicable	Not Applicable	Not Applicable
79	NDDB CALF Ltd., National Dairy Development Board, NDDB Campus, Anand, Gujarat-388001	59/W/FSSAI/2021	TC-11516	Y	Ms. Swagitika Mishra, 02692-226307, 226312, smishra@nddb.coop prohith@nddb.coop	Ms. Nilay Yadav Mr. Amit N. Kakdiya, Ms Avanee Macwan	13th Oct, 2027	13th Oct, 2027	Not Applicable	Not Applicable
80	Eureka Analytical Services Private Limited, Unjha, Manekvadi, Visnagar Road, Unjha, Mahesana, Gujarat	70/W/FSSAI/2024	TC-8971	Y	satpathygouri@eurekaserv.com / bhemaalatha@eurekaserv.com, Mobile No. +91 7259451031/8748037689	A V Babu, Mr. Juned Shaikh	26th Aug, 2028	26th Aug, 2028	Not Applicable	Not Applicable
81	Centre of Excellence for Research and Analysis of Narcotic Drugs and Psychotropic Substances, Gandhinagar National Forensic Sciences University (NFSU), Sector 9, Gandhinagar, Gujarat	73/W/FSSAI/2024	TC-12241	Y	Dr. Astha Pandey; astha.pandey@nfsu.ac.in; Mob: 09601996653		20th Aug, 2027	Not Applicable	Not Applicable	Not Applicable
82	Pollucon Laboratories Private Limited, Surat 5/6 Pollucon House, Opp. Balaji Ind. Soc., Old Shantinath Mill Lane, Navjivan Circle, Udhana Magdalla Road, Surat-395007, Gujarat	27/W/FSSAI/2016	TC-14227	N	Mr. Devang M. Gandhi (Director- Laboratory) Tel: 0261-245575, 2635750, 2635751 Fax: 0261-26011061, 2601224 Mobile: +91 9328967090, 9328967080 Email: pollucon@gmail.com		06th Nov, 2026	06th Nov, 2026	Not Applicable	Not Applicable
83	Food & Drugs Laboratory, Vadodara Near Polytechnic, Nizampura, Vadodara-390002	44/W/FSSAI/2018	TC-8183	Y	Joint Commissioner (Testing) Email: fdlvadodara@yahoo.co.in, foodvadodara@yahoo.com, OM Prakash Barot 9426773135	As Notified by State Government	08th Dec, 2026	08th Dec, 2026	Not Applicable	Not Applicable
84	STC ANALYTICAL AND ENVIRONMENTAL SERVICES LLP 350/A, GIDC, MAKARPURA, VADODARA, GUJARAT, INDIA	7/W/FSSAI/2014	NABL T0626GJ18252	Y	Mr. Samir Patel (CEO) Tel: 8320856049 Mobile: 9825029849 Email: analyticalnabl@gmail.com	Mr. G R Gohil Mrs. Avni Amar Desai Mrs. Mansi Premal Shah Mrs Jigishaben Chiragkumar Patel	09th June, 2028	09th June, 2028	Not Applicable	Not Applicable
85	Central Excise & Custom Laboratory, Room No.- 311 3rd floor, GST Bhavan, Subhanpura Vadodara-390023	62/W/FSSAI/2021	NABL T0926GJ19526	Y	Tel No. : 9810466977 Fax No. : 0265-2386822 Email : dr.mahesh1974@gov.in Contact Person : MAHESH KUMAR Gyanender Saxena gsercl.98@gov.in 8826035268	---	11th April, 2028	11th April, 2028	Not Applicable	Not Applicable
86	Hemshell Services – Testing Division, Vadodara, Gujarat 903/1, Makarpura G.I.D.C, Makarpura, Vadodara, Gujarat	36/W/FSSAI/2017	TC-7922	N	Mr. Bency Joseph (Technical Manager) Tel: 0265-2631053/2646999; Fax: 022-26863865 Email: brd@hemetek.com	---	10th Nov, 2028	10th Nov, 2028	Not Applicable	Mechanical-10th Nov, 2028
Madhya Pradesh										
87	State Food Testing Laboratory, Bhopal, Food and Drug Administration, Idgah Hills, Bhopal – 462001	60/W/FSSAI/2021	TC-16886	N	Mr. Kailash Chandra 0755-2666058 sandeepvictor@yahoo.com 9425352804	As Notified by State Government	7th Oct, 2029	Not Applicable	Not Applicable	Not Applicable
88	Choksi Laboratories Limited, Indore Survey No. 9/1, Balaji Tulsiyana Industrial Estate, Kumed, Off Mr 10 Toll Plaza, Indore, Madhya Pradesh-452010	1/W/FSSAI/2014	TC-6384	Y	Manish Singhal QA Manager Email: qa.indore@choksilab.com ; abhinav.singh@choksilab.com Mobile: 87708-96041	Mr. Manish Kumar Singhal; Dr. Abhinav Singh	05th Nov, 2026	05th Nov, 2026	05th Nov, 2026	Mechanical-05th Nov, 2026
89	Excellent Bio Research Solutions Pvt. Ltd. 1042, Napier Town, 4th Bridge, Jabalpur - 482001 Madhya Pradesh	35/W/FSSAI/2017	TC-12429	Y	Mr. Manish Kumar Agrawal Tel: 0761 4020074 Mobile: 09424310737 Email:excellentbioresearch@gmail.com	Dr. Manish Kumar Agarwal	17th Oct, 2027	17th Oct, 2027	Not Applicable	Not Applicable
90	CES Analytical and Research Services India Private Limited, Bhopal 42, 48, Doorsanchar Nagar, E8 Extension, Arera Colony, Bhopal, Madhya Pradesh	68/W/FSSAI/2023	TC-6872	Y	Mr. Umesh Chandra Mishra; Ph. 9425009319; 0755-4299319/4044117; Email: cesanalytical@gmail.com, creativelab.bpl@gmail.com	Mr Pradeep Kumar Tiwari Ms. Neelam Upadhyay Ms. Priyanka Jain	03rd Feb, 2027	03rd Feb, 2027	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : https://nabl-india.org/ under Laboratory Search			
91	Cali – Labs Private Limited, Bhopal Khasra No - 11/1/1/1/2/2, Ward No. 79, Lambakheda Bairasia Road Bhopal, Madhya Pradesh-462016	12/W/FSSAI/2014	TC-7210	Y	Mr Abhishek Malviya (Managing Director) Mobile: 7024251111. Tel: 0755-4013281, 9981139988. Email –calilabs@gmail.com.	Dr. Ashok Kumar Nikam, Mr. Deepak Ashok Temak	29th June, 2027	29th June, 2027	Not Applicable	Not Applicable
92	QTTL Lab Private Limited, Indore 301-302 Labbaiq Regency, 4/2 Old Palasia, Indore-452 009, Madhya Pradesh	28/W/FSSAI/2016	TC-7890	N	Mr. Jayesh Agarwal (Director) Tel: 0731-4021739 Email: info@qualitytestinglab.asia	Dr. Abhilash Mullasseril ; Ms Deepika Garg	30th Oct, 2029	30th Oct, 2029	Not Applicable	Not Applicable
93	Pious Laboratories Private Limited, Indore 113/1 Bijalpur Road, Indore, Madhya Pradesh	69/W/FSSAI/2023	TC-11654	Y	Mrs. Amrata Gupta; Ph: 09770480382, 09770302430; Email: info@piouslabs.com	Ms. Deepika Garg Mr Manoj Kumar Mr. Harvinder Singh Matharu	02nd July, 2027	02nd July, 2027	Not Applicable	Not Applicable
94	RAM2 Laboratories Pvt. Ltd. 38, Electronic Complex, Pardesipura, Indore, Madhya Pradesh	79/W/FSSAI/2026	TC-16539	Y	Mr Ajay Mahajan: Ph 7869110561 : Email: info.ram2labs@gmail.com		05th August, 2027	Not Applicable	Not Applicable	Not Applicable
95	Krishna Digital Material Testing Laboratory, Bhopal 2, Bhawani Nagar, J.K. Road, Bhopal, M.P	37/W/FSSAI/2017	TC-7016	N	Mr. Priyesh Gangele Tel: 0755-4001289 Fax: 0755-4246045 Mobile: 09425813624, 9425141028 Email: krishnalab12@gmail.com klbpl2015@gmail.com		08th March, 2030	Not Applicable	Not Applicable	Mechanical 08th March, 2030
96	Food Testing Laboratory, Acropolis Institute of Pharmaceutical Education and Research Mangaliya Square, Indore Bypass Road, Indore, Madhya Pradesh	83/W/FSSAI/2026	TC-12434	Y	Mr. Suresh Kumar (Technical Director) Email: ftl@acropolis.edu.in Tel: 0731-4730174 Mob: 9557919884	Mrs. Jyoti Pathak	19th Oct, 2027	19th Oct, 2027	Not Applicable	Not Applicable
Maharashtra										
97	Testtex India Laboratories Private Limited, Mumbai 301-304 Premson's Industrial Estate, 3rd Floor, Caves Road, Jogeshwari (East), Mumbai - 400060	19/W/FSSAI/2014	TC-5835	Y	Ms. Meeta Bharat Shingala (Managing Director) Tel: 022-28259190 Fax: 022-28265116 Mobile: 09821318289 Email: labsindia@testtex.com, meeta@testtex.com	Ms. Ujjwala Krishna Kumar, Mrs. Smita Ramchandra Bagwe, Ms. Rehana Mohd Irfan Ansari	03rd Oct, 2027	03rd Oct, 2027	Not Applicable	Not Applicable
98	Bureau Veritas India Pvt. Ltd., Navi Mumbai Plot No. B3/B4, TTC IND Area, Digha MIDC, Digha, Navi Mumbai, Thane, Maharashtra	71/W/FSSAI/2024	TC-7765	Y	Mrs. Sheetal Remulkar, shital.remulkar@bureauveritas.com, 7276115807	Smt Meenal Chetan Satghare; Mr. Sudip Roy;	29th Aug, 2027	29th Aug, 2027	Not Applicable	Not Applicable
99	Ashwamedh Engineers & Consultants, Nasik Survey No. 102, Plot No.26,Wadala Pathardi Road, Indira Nagar, Nashik-422009, Maharashtra	5/W/FSSAI/2014	TC-5509	Y	Dr. Aparna Pharande (MD) Tel : 0253-2392225, 2391835(direct), Mobile: 09325385516/ 9822261081 Email: sales@ashwamedh.net, aparna@ashwamedh.net, ashwamedhquality@gmail.com	Dr. Aparna Sunil Pharande Mr. Ninad Arvind Soundankar	22nd Nov, 2027	22nd Nov, 2027	22nd Nov, 2027	Mechanical -22nd Nov, 2027
100	Bee Pharmo Labs Pvt. Ltd., Thane C-2, Hatkesh Udyog Nagar, Mira Bhayander Road, Mira Road (E), Dist. Thane	40/W/FSSAI/2017	TC-5497	Y	Mr. Bhavesh Limbachiya (Technical Director) Mobile: 9820113704 Email: bhavesh@beepharmo.com, food@beepharmo.com	Ms. Amruta Ramchandra Sutar; Ms. Shivangi Shirish Sarang	06th May, 2027	06th May, 2027	Not Applicable	Not Applicable
101	Doctors' Analytical Laboratories Private Limited, Mumbai Plot No. R 809, TTCMIDC Rabale , Off. Thane Belapur Road, Rabale, Navi Mumbai - 400701	4/W/FSSAI/2014	TC-13569	Y	Mr.Ashay Sanjay Mehta (Director) Tel. No. 022-71895000 Mobile: 9892333660 Email: ashay.mehta@dalpl.co.in ; quality@dalpl.co.in;	Mr. Bal Shantaram Prabhu	12th Jan, 2028	12th Jan, 2028	Not Applicable	Not Applicable
102	Envirocare Labs Private Limited, Mumbai Enviro House, Plot No. A7-A8 Enviro House, MIDC Main Road, Wagle Industrial Estate, Thane 400604, Maharashtra	8/W/FSSAI/2014	TC-8284	Y	Dr. Nilesh Amritkar (Managing Director),Dr. Priti Amritkar (Director Labs) Tel: 022-25838286, 87, 88 Fax: 022-25838289 Mobile: 09167232003, 09167232001 Email: info@envirocare.co.in, nilesh.a@envirocare.co.in, priti.a@envirocare.co.in	Ms. Reshmi Suresh Nair, Mr. Siddhrath Bhagawanrao Tulse Ms. Soumya Sudhakaran Nair Ms. Ria Anand Kardile	22nd Dec, 2027	22nd Dec, 2027	Not Applicable	Mechanical -22nd Dec, 2027
103	MicroChem Silliker Private Limited, Mumbai D-87, TTC Industrial, MIDC, Turbhe, Thane, Navi Mumbai 400703	14/W/FSSAI/2014	TC-5960	Y	Mr. Jeetendra Patil Tel: 022-39469700/ 27787800, Fax: 022-39469701 Email:qa.in@mxns.com, jeetendra.patil@mxns.com	Dr. Jeetendra Vikram Patil Ms. Amruta Mohan Pawar	16th March, 2028	16th March, 2028	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : https://nabl-india.org/ under Laboratory Search			
104	Precise Analytics Lab,(A Division of Meyer Organics Pvt. Ltd.) Mumbai B-22, Road .No.16, Wagle Industrial Estate MIDC, Thane (W), Mumbai, Maharashtra-400604	25/W/FSSAI/2014	TC-7783	Y	Jyotsna Pawar Phone no. – 022 25827041 Mobile no.- 09769804657 General Manager Quality E Mail ID – jpawar@meyer.co.in, Info@preciseanalytics.co.in	Ms. Jyotsna Pawar Ms Shweta Gupte	19th Nov, 2027	19th Nov, 2027	Not Applicable	Not Applicable
105	State Public Health Laboratory, Pune Cantonment Water Works Compound Stavelly Road, Near St. Mary's School, Pulgate Camp, Pune -411001, Maharashtra	51/W/FSSAI/2018	TC- 11706	Y	Shri Vinod Kale, Deputy Director of Health Services. E-mail id: statehealthlab@gmail.com : vkfaleamravati@gmail.com; cflpune123@yahoo.in; Telephone nos 914687787, 9145687787, 7972807749	As Notified by State Government	25th May, 2027	25th May, 2027	Not Applicable	Not Applicable
106	TUV India Private Limited, Pune Survey No: 42, 3/1 &3/2, Sus, taluka: Mulshi, Pune-411021	3/W/FSSAI/2014	TC-5298	Y	Ms. Sonia Nandre Tel: 020-67900075 Mobile: 9890607707 Email: sonian@tuv-nord.com, pallavi@tuv-nord.com	Ms. Monika Falke, Mr. Shanteshwar Biradar, Mr Atulkumar Rajage, Ms. Mayuri Sonawane	17th March, 2027	17th March, 2027	Not Applicable	Not Applicable
107	National Food Laboratory, Navi Mumbai (In PPP with Vimta Labs Pvt Ltd.) Sector 3, JNPT Township Sheva, Taluka Uran, Navi Mumbai- 400707, Maharashtra	63/W/FSSAI/2022	TC-10203	Y	Dr. Sheetal Gupta (Joint Director) Email: sheetal.gupta@fssai.gov.in	1. Dr. A. Nagarajan, 2. Sasikanth sarangam, 3. Ms. Srishti Yadav, 4. Ms. Anamika Singh	07th Jan, 2028	07th Jan, 2028	Not Applicable	Not Applicable
108	Food and Drugs Administrations Laboratory (M.S.), Nagpur Plot No. E1 to E3, First Floor, Shri. Bhugaonkar Building, Nagpur, Maharashtra - 440027	64/W/FSSAI/2022	TC-10237	N	Shri. Abhay Vinayak Kautkar 7709444265 ftlnagpur2016@gmail.com	As Notified by State Government Shri. Arvind Tarachand Zalke Shri. Narendra Bansiram Sonone	16 Jan, 2030	Not Applicable	Not Applicable	Not Applicable
109	Ross Lifescience Limited, Plot No 96, Sector-10, PCNTDA, Bhosari, Pune, Maharashtra-411026	65/W/FSSAI/2022	TC-6633	N	Vaishali Gawade, 7020272982 vaishali@rosslife.net	1. Sachin Dilip Katurde; 2. Mr. Suhas Rajaram Nevase	05th Dec, 2029	05th Dec, 2029	Not Applicable	Not Applicable
110	Audentes Labs & Analytics Pvt. Ltd., I-0029/J-0030/31/32, Akshar Business Park, Navi Mumbai Khairane Road, Vashi, Navi Mumbai, Thane, Maharashtra-400703	66/W/FSSAI/2022	TC-11087	Y	9987591561, 09767623738; support@audenteslabs.com,	Ms. Yawanika Agrahari Mr. Shanteshwar Namdev Birader	20th Oct, 2026	20th Oct, 2026	Not Applicable	Not Applicable
111	Export Inspection Agency, Mumbai Pilot Test House, E-3, MIDC Area, Marol, Andheri(E), Mumbai-400093.	23/W/FSSAI/2014	TC-5359	Y	Dr. Satish Shukla, Assistant Director Tel:022-28363401 Fax:022-28362988 Email: eia-mumbai-lab2@eicindia.gov.in; pth-lab@eicindia.gov.in 9008907881	Mr. Prasanna Balasubramaniam Mr. Kaliraj M Mr. Amitabh Pandey	22nd April, 2028	22nd April, 2028	Not Applicable	Not Applicable
112	FHHL Private Limited, Pune Survey No. 126/10, Plot No.1, Hadapsar Industrial Estate, Pune-411013	10/W/FSSAI/2014	TC-5931	Y	Mr. Rohan Deshpande (Lab Head) Mobile: +91 8380074694, 9881237321 Email: info@fhhl.in, rohand@fhhl.in	Ms. Sushma Mahesh Thorat Ms. Suvarna Sunil Mahadik Ms.Seema Satish Bakde	27th Aug, 2027	27th Aug, 2027	Not Applicable	Mechanical- 27th Aug, 2027
113	Eureka Analytical Services Private Limited, Thane, Plot No. C-401, TTC Industrial Area, Pawane MIDC, Thane, Maharashtra	72/W/FSSAI/2024	TC-12549	Y	Ms. Sheetal Patil , Ms.Satpathy gouri, satpathygouri@eurekaserv.com / patilsheetal@eurekaserv.com; 91 7259451031/7483263381	Mr. Jagdish GK Ms. Sheetal Patil	08th Nov, 2027	08th Nov, 2027	Not Applicable	Not Applicable
114	Food Testing Laboratory, Food & Drugs Administration Laboratory, Mumbai Plot No 341, Opposite R.B.I, Bandra (East), Mumbai- 400005	46/W/FSSAI/2018	TC-14016	N	Ms. Swati Dalal, Director Tel: 022 26591992, 9920293411 (MADHURA CHAWAN) Email: addcl_mum@yahoo.co.in	As Notified by State Government	26th Jun 2030	Not Applicable	Not Applicable	Not Applicable
115	Anacon Laboratory Private Limited, Nagpur FP-34,35 Butibori Food Park, Five Star Industrial Estate, Nagpur- 441122, Maharashtra	11/W/FSSAI/2014	TC-12998	Y	Dr. S. D. Garway (Quality Assurance Manager and Director) Tel: 0712-2242077 Mobile: 09823167077 Email: labngp@anacon.in, ngp@anacon.in Sugandha Dattatraya Garway 9373287475 sd.garway@anacon.in	Mr. Shailesh Baban Gaikwad	08th Jan, 2028	08th Jan, 2028	Not Applicable	Mechanical - 08th Jan, 2028
116	Qualichem Laboratories, Nagpur Swami Samarth Commercial Complex, 4, North Bazar Road, Gokulpeth Market, Dharampeth Extn., Nagpur-440 010	24/W/FSSAI/2014	NABLT0626MH18374	N	Mr. Mukund Nagarmaik (Proprietor) Tel: 0712-2532482, Fax: 0712-2564452 Mobile: 9373107819 Email: ql@qualichemlabs.com, mukund@qualichemlabs.com	Mr. Arun B. Sarjoshi	31st March, 2030	31st March, 2030	Not Applicable	Not Applicable
117	Equinox Labs Pvt. Ltd. Navi Mumbai Equinox Centre, R 65, TTC, Rabale, Navi Mumbai – 400 701	32/W/FSSAI/2016	TC-6820	Y	Sh. Ashwin Bhadri (CEO); Tel: 022-68609300; Mob: 09920226789; E-mail id: ashwin@equinoxlab.com	Mr. Pankaj Ganseh Kotgirkar	9th Sept, 2027	9th Sept, 2027	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : https://nabl-india.org/ under Laboratory Search			
118	Biozed Engineering Private Limited, Thane Plot No. B-53, Road No. 30, Wagle Industrial Estate, Thane, Maharashtra	74/W/FSSAI/2025	NABLT0826MH19000	Y	Ms. Madhulika Rai, Director, Email: madhulika@biozed.com; quality@biozed.com, Mob: 09821626005, 09594118034	Ms. Kirti palekar, Ms. Shweta mahana Dr. Jayashree Rajendra parkar	11th Aug, 2028	11th Aug, 2028	Not Applicable	Not Applicable
119	Reliable Analytical Laboratories Private Limited, Thane Relable house, 125 Indian Corporation Complex , Dapoda Road, Mankoli Naka, Bhiwandi, Thane-421302	21/W/FSSAI/2014	TC-5854	Y	Ms. Rashmi Khanna (Director) Tel: 9769321831, rashmi@reliablelabs.org, Ms.Sakshi Joshi - Quality Assurance Manager - 7738300049,quality@reliablelabs.org or sakshi.joshi@reliablelabs.org	Ms. Rashmi Khanna Ms. Sakshi Joshi	05th Sep,2027	05th Sep,2027	Not Applicable	05th Sep, 2027(Mechanical, Electrical ,Electronics)
120	Jubilant Pharma and Chemical Lab (OPC) Pvt. Ltd., Navi Mumbai, Surya Gayatri, Plot No. D-14/15, Sector No. 6, New Panvel (E), Navi Mumbai-410206, Maharashtra	54/W/FSSAI/2019	TC-14342	Y	Dr. Madhuri A. Deshmukh (Director), Contact No. : 09819659434 E-mail: director.jpcl@gmail.com, madhuri.deshmukh66@gmail.com Dr Arun Deshmukh labhhead@jubilantpharma.co.in 9819656195 ; qa@jubilantpharma.co.in; info@jubilantpharma.co.in;	Ms. Charusheela Shinde	22nd Nov 2026	22nd Nov 2026	Not Applicable	Not Applicable
121	Adarsh Scientific Research Center and Testing Laboratory Pvt. Ltd., Raigad Shri D.D. Vispute College Of Pharmacy And Research Center, Panvel, Raigad, Maharashtra	75/W/FSSAI/2025	TC-10632	Y	Mr. Prashant Mukane, Lab Head, Mob: 9833193902, Email: asrcrl@gmail.com	Mr. Kharsambale Pramod Chandrakant	19th Oct 2026	19th Oct 2026	Not Applicable	Not Applicable
122	Food and Drugs Administrations Laboratory, Aurangabad Gut No. 19, Kanchanwadi, Aurangabad, Maharashtra	67/W/FSSAI/2023	TC-15784	N	Mr. BADADHE B S, 9049360645, ftlaurangabadms@gmail.com	As Notified by State Government	27th March, 2029	Not Applicable	Not Applicable	Not Applicable
123	Alfred H Knight India Private Limited Plot A/758, Sector 2, TTC Industrial Area, Navi Mumbai, Thane, Maharashtra	13/W/FSSAI/2014	TC-17185	Y	Dr. Subhadeep mukherjee(Head of Laboratory) E mail: subhadeep.mukherjee@ahkgroup.com (Mobile: +91 9475722273) siddharth.amin@ahkgroup.com kavita.kadam@ahkgroup.com laboratory.mumbai@ahkgroup.com	Mrs Sangita Talavadekar, Mukesh Kumar Raikwar	31st July, 2027	31st July, 2027	Not Applicable	Not Applicable
124	EUROFINS ANALYTICAL SERVICES INDIA PVT. LTD, 2ND FLOOR, ELLORA OLEARISE, PLOT NO. A-786,KHAIRANE MIDC, KOPARKHAIRANE, NAVI MUMBAI, MAHARASHTRA, INDIA	76/W/FSSAI/2025	TC-15546	Y	Kalpna Doke, Quality Manager Email: Kalpna.Doke@xoin.eurofinsasia.com Mobile: 9224261980	Ms Kalpana Satyawan Doke Mr Deepak Kumar	23rd feb, 2027	23rd feb, 2027	Not Applicable	Not Applicable
125	QSS INSPECTION AND TESTING PRIVATE LIMITED, PLOT NO. A-168, ROAD NO 25, MIDC, WAGLE INDUSTRIAL ESTATE, THANE-WEST, THANE, MAHARASHTRA, INDIA	77/W/FSSAI/2025	TC-17494	Y	Uday S. Padhye email: md@qitsservices.in mobile: 9998989700	Ms Komal Mahesh Shinde Ms. Vidya Shekhar Kasar	26th feb, 2027	26th feb, 2027	Not Applicable	Not Applicable
126	Qualitek Labs Limited 1st Floor, Z Block, Market III, Sector 19B, Phase II, Vashi, Navi Mumbai, Thane, Maharashtra	80/W/FSSAI/2026	TC-16608	Y	Ms Chetana G. Pawar; Ph:9096017984, 7304954759; Email: chetana.pawar@qualiteklab.com	Ms Chetana Gulabrao Pawar Ms Anita Ramnath Pardeshi Ms Bhanupriya Amit Lalge	11th Nov, 2026	11th Nov, 2026	Not Applicable	Not Applicable
127	ABC Techno Labs India Private Limited D-164, Anand House, TTC Industrial Area, Nerul MIDC, Nerul, Navi Mumbai, Thane, Maharashtra	81/W/FSSAI/2026	TC-16687	Y	Mr Ravi; Ph: 9940157777 ; Email: ravi@abstechnolab.com	A.S.Shalini Ms. Nilam Naikwadi	12th Jan, 2028	12th Jan, 2028	Not Applicable	Not Applicable
128	Maarc Labs Private Limited, Pune Plot No 1 & 2, Gate No. 27, Nanded Phata, Sinhadgad Road, Pune-411041, Maharashtra	20/W/FSSAI/2014	TC-17706	Y	Dr. V.S. Keskar (Managing Director) Tel: 7447425952/53 Mobile: 7447425954/55 Email: maarcclab@gmail.com, vasukeshar@gmail.com	Dr. S. Sadhashiv Shivajirao Nimbalkar	15th Mar, 2028	15th Mar, 2028	Not Applicable	15th Mar, 2028 (Mechanical)
129	Bombay Test House Private Limited, Unit No. 1 -2nd, 3rd & 4th Floor, Banking Complex-II, Plot No. 9 & 10, Sector -19A, Vashi, Navi Mumbai , Thane, Maharashtra - 400703	53/W/FSSAI/2018	TC-12538	Y	Mr. Subramaniam Nandakumar Managing Director +91 9867791055, +91 22 4123 9185 Email: bombaytesthouse@gmail.com enquiry@bombaytesthouse.com Pranod Kumar Manager - Laboratory Services +91 81690 66785	Ms. Priyanka Deepak Kambli	06th Nov, 2027	06th Nov, 2027	Not Applicable	06th Nov, 2027 (Mechanical)

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : https://nabl-india.org/ under Laboratory Search			
130	Sadekar Enviro Engineers Pvt. Ltd. Testing Lab, A-95 Road No 16, Kisan Nagar Road, MIDC Wagle Industrial Area, Thane, Maharashtra	82/W/FSSAI/2026	TC-12207	Y	Mr Prabhakar Raghoba Sadekar: ph-9820144125, 9819240298; Email; prs@sadekarenviro.com, qmthanel@sadekarenviro.com, microlabthane@sadekarenviro.com	Mr Swapnil Shiwaji Dhopate	06th Sep, 2027	06th Sep, 2027	Not Applicable	Not Applicable
131	Eminence Analytical Private Limited, Plot No. ATC-27, Mahape, M.I.D.C. TTC Industrial Area, Navi Mumbai, Maharashtra	84/W/FSSAI/2026	TC-17754	Y	Ms. Shivani Rai (QA Manager) Shivani.rai@eminencelabs.org Mob: 7715952207	Ms.Kadambari Baban Dhomase	23rd Mar, 2028	23rd Mar, 2028	Not Applicable	Not Applicable
132	Chemo Test Laboratory, C-258, TTC Industrial Area, Pawane MIDC, Mumbai,Thane, Maharashtra	78/W/FSSAI/2025	NABLT0826MH18968	Y	Dr. Borna Basu email: borna.basu@chemotestlaboratory.com	Ms Sujata Chivate Ms. Sheela Pradeep Gauli Ms. Komal Mahesh Shinde	06 Aug 2028	06 Aug 2028	Not Applicable	Not Applicable
133	GEO-CHEM Laboratories Private Limited, Ground & 1st Floor, Plot No. - 39, TTC Industrial Area, MIDC, Kalwa, Navi Mumbai, Maharashtra	85/W/FSSAI/2026	TC-11482	Y	Sakshi Sitaram Chavan (Sr. Executive-QA & Communications) T: +91 22 6191 5100 Extn: 137 Email: laboratory@geochem.net.in	Ms. Sarita Mangesh Sawant Mr. Digvijay Sabaji Sawant	14th May, 2027	14th May, 2027	Not Applicable	Not Applicable
134	Green Envirosafe Engineers & Consultant Private Limited, A-7/2/C-11, Capital City, Talawade-Chakan Road, Chakan MIDC, Ph-IV, Village-Nighoje, Tal-Khed, Pune, Maharashtra	86/W/FSSAI/2026	TC-10367	Y	Mr. Vinod Hande; Mobile: 9545084620; Email: food.gesec@gmail.com	Mr. Nazim Ansari	28 Feb, 2028	28 Feb, 2028	Not Applicable	Not Applicable
Goa										
135	Food & Drug Laboratory, Directorate of Food and Drugs Administration, Opp. The Shrine of Holy Cross, Bambolin, Goa-403202.	61/W/FSSAI/2021	NABLT0926GA19293	Y	Chandrakant Kambli Mobile No : 7823026973 Fax No. : 0832-2459223 Email : off-dfda.goa@nic.in	As Notified by State Government	06th May, 2028	Not Applicable	Not Applicable	Not Applicable
C. SOUTHERN REGION										
Andhra Pradesh										
136	TUV SUD South Asia Pvt. Ltd. Vishakhapatnam A1, Industrial Estate, Kancharapalem, Vishakhapatnam –530007, Andhra Pradesh (Plot No.19/1 IDA BLOCK – B,Auto Nagar, Mindi Village,GAJUWAKA Mandal,Visakhapatnam District, AP, INDIA Pincode: 530012)	50/S/FSSAI/2017	TC-5558	Y	Dr. Mahaboob Ali Shaik (Deputy General Manager) Mob.: 9618366786; Tel: +91-8886801133 E-mail id: MahaboobAli.Shaik@tuvsud.com P Madhava Rao Pedada.MadhavaRao@tuvsud.com Mob: 9492757421; 8976972505	Ms. Betina Radha Kumari	14 Dec, 2027	14 Dec, 2027	Not Applicable	Not Applicable
137	Interfield Laboratories, Visakhapatnam, Plot No. C4, Green Industrial Park, Gambheeram Village, Visakhapatnam, Andhra Pradesh	89/S/FSSAI/2024	TC-9197	Y	Dr. PUV Sateesh, Lab Operational Manager, 07593864183, 8933295683, Email: om.ap@ifil.in]	Mr. Vinodh kumarA., Mr. Pabitra Som Mr. Satish Gowd Koppula	3rd Jan, 2027	3rd Jan, 2027	Not Applicable	Not Applicable
138	Food Testing Laboratory, Jawaharlal Nehru Technological University, Kakinada School of Food Technology, Jawaharlal Nehru Technological University, Kakinada, E.G. District, Andhra Pradesh, Pin 533005	36/S/FSSAI/2016	TC-5185	Y	Name: Dr. V. Jaya Prasad, Head, Food Testing Laboratory Designation: Head Mobile No: +91 70328 06955 e-mail: prasad.vjp@jntucek.ac.in	Ms. Vijaya Lakshmi Kandregula	25th Oct, 2026	25th Oct, 2026	Not Applicable	Not Applicable
139	Eureka Analytical Services Pvt Ltd D NO 5-31-5,3/14, TEJASWI ENCLAVE, BRODIPET, Guntur-522002, Andra Pradesh	92/S/FSSAI/2025	TC-11236	Y	satpathygouri@eurekaserv.com / bhemalatha@eurekaserv.com Telephone No. +080 40960496 Mobile No. +91 7259451031/8748037689	Mr. Shivabalan Seka	21st Dec, 2026	21st Dec, 2026	Not Applicable	Not Applicable
KARNATAKA										
140	Auriga Research Limited, Bengaluru No. 136,6th Cross, 2nd Stage, Yeshwanthpur Industrial Subhurb, Bangalore-560022, Karnataka	25/S/FSSAI/2016	TC-5496	Y	Balakumar Thope mail id : qablr@aurigaresearch.com Contact No. +91 9535999276	Mr. S.N Nanjundaiah Mr. Balakumar Thope	30th Mar, 2028	30th Mar, 2028	Not Applicable	Not Applicable
141	Shiva Analyticals (India) Private Limited, Bengaluru Plot No24 D (P) & 34 D, KIADB Industrial Area Bangalore, Hoskote-562114, Karnataka	10/S/FSSAI/2014	TC-12626	Y	Mr. Nagaraj - Ranganathan, CEO Mr. M Sathya Moorthy, (Senior Manager-QA Quality Manager-MR) Tel: 08028015333 Mobile: 09741621119 Email:sathyamoorthy.m@shivaanalytics.com,nagaraj.ranganathan@shivaanalytics.com	Mr. Seetepalli Mallikarjuna Rao	30th Jan, 2028	30th Jan, 2028	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : https://nabl-india.org/ under Laboratory Search			
142	TUV SUD South Asia Private Limited, Bengaluru No. A-151, 2nd C Main Road, Peenya Industrial Estate, II Stage, Bangalore-560058	14/S/FSSAI/2014	TC-5460	Y	Krishna Deori (Sr. Manager) 9958002890 krishna.deori@tuvsud.com; qa.india@tuvsud.com Parthiban Ramaswamy (AVP) 7391060992 ramaswamy.parthiban@tuvsud.com Prajesh Balakrishnan Prajesh.Balakrishnan@tuvsud.com 7259101240	Mr. Ramesh VG	23rd Aug, 2027	23rd Aug, 2027	Not Applicable	Not Applicable
143	TUV India Pvt. Limited (TUV- NORD Group) (Laboratory Division), Bangalore No-8 Commerce, 2nd Floor, III- Main Road, Rajajinagar, 6th Block, Opp. KSSIDC IT Park, Rajajinagar Industrial Estate, Bangalore-560044	48/S/FSSAI/2017	TC-7970	Y	Lavina M Fernandes (Manager, QA Incharge.) Tel: 080-40823028 Mob: 9886332852 Email: LavinaF@tuv-nord.com; Dr. M P Prasad, mpprasad@tuv-nord.com ,09148158765	Ms. Nandini Manjunath; Yamuna Anjanappa	19th Oct, 2027	19th Oct, 2027	Not Applicable	Not Applicable
144	Vimta Labs Limited, 1st & 2nd Floor, #1047, Rukmini Plaza, 20th Main, 5th Block, West of Chord Road, Rajaji Nagar, Bangalore-560010, Karnataka	62/S/FSSAI/2018	TC-6670	Y	Apurv Sharma - Quality Manager Email: apurv.sharma@vimta.com Mobile:9100122625	Mr. Syed Mohammed Rasool	25th Dec, 2027	25th Dec, 2027	Not Applicable	Not Applicable
145	ALS Testing Services India Private Limited, Bengaluru NO.65, BOMMASANDRA JIGANI LINK ROAD Bengaluru KARNATAKA INDIA	70/S/FSSAI/2021	NABL T0926KA19375	Y	RAMASWAMY PARTHIBAN 9071478684 Email : parthiban.ramaswamy@alsglobal.com Pooja Ahuja pooja.ahuja@alsglobal.com 9071211500	Mr. Shaik Noor Mohammad, Mr. Saravanan B	25th June, 2028	25th June, 2028	Not Applicable	Not Applicable
146	Eureka Analytical Services Pvt. Ltd., Bangalore, AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar Main Road, Banaswadi, Bengaluru, Karnataka-560043	76/S/FSSAI/2021	TC-9653	Y	Hemalatha B Mob No. : 8748037689 Email : bhemalatha@eurekaserv.com	Mr. Amballa Varaprasada Babu, Mr. Subbaramaiah Mopuri Mr. Shambulinga G Dr. Bharath MR Ms. Hemalatha B	02nd July, 2027	02nd July, 2027	Not Applicable	Not Applicable
147	Divisional Food Laboratory, Vaccin Institute Campus, Tilakwadi, Belgaum, Belgavi, Karnataka	81/S/FSSAI/2022	TC-11034	Y	Mr Abdul Hameed, 09448950071, dflblgv@gmail.com	As Notified by State Government; Mr Abdul Hameed	03rd Nov, 2026	03rd Nov, 2026	Not Applicable	Not Applicable
148	Divisional Food Laboratory, Umar Khayyam Road, Tilak Nagar, Mysuru, Karnataka-570001	82/S/FSSAI/2022	TC-11032	Y	Mr Lingappa.B, 09916604388, dpamys@gmail.com	As Notified by State Government	11th Dec, 2026	Not Applicable	Not Applicable	Not Applicable
149	SMS Labs Services Pvt. Ltd., Bengaluru No. 376, 1st and 2nd Floor, TNRTS, 1st Main Jagatjyothi Layout, Nagadevanahalli, Bengaluru, Karnataka	84/S/FSSAI/2023	TC-8392	Y	Mrs. Sharada Murali; Phn. 9444418694, 9884609199, 9962518199; Email: sm@smsla.in, lab@smsla.in , blr-qc@smsla.in	Mr. K. Elakkiyathanan	13th March, 2027	13th March, 2027	Not Applicable	Not Applicable
150	State Food Laboratory, Bengaluru Public Health Institute, Sheshadri Road, Bengaluru, Karnataka	83/S/FSSAI/2023	TC-11165	Y	Ms. Shobha B.C, cfafoodlab@gmail.com, 9620358452	As Notified by State Government; Ms. Shobha B.C	18th Nov, 2026	Not Applicable	Not Applicable	Not Applicable
151	Eurofins Analytical Services India Private Limited, Bengaluru 501/1, Doddanakundi Industrial Area 2, Hoodi, Whitefield, Bangalore-560048	18/S/FSSAI/2014	NABL T0726KA18525	Y	Ms. Jyoti Sindhu, Assistant Director (lab), Tel: 08067223200 Mobile: 09538091100, 08951854470 Email: Jyoti.Sindhu@xoin.eurofinsasia.com Mr. Rizwan Shariff, Senior Manager-Quality, Mobile: 09060896026, 08951854475 Email:Rizwan.Shariff@xoin.eurofinsasia.com	Mr. Rizwan Shariff, Ms. Jyoti Sindhu, Ms.Ms. Jyoti Sindhu, Ms. Saheli Bandyopadhyay; Rupal Tiwari Aditya Padala	01st May, 2028	01st May, 2028	Not Applicable	Not Applicable
152	Shriram Research Institute Plot No. 14 & 15, SadarMangala Industrial Area, Whitefield Road, Bengaluru-560048	22/S/FSSAI/2014	TC-5090	Y	Contact Person: D Nagaraj 9845875539 EMAIL ID dn@shriram institute-blr.org, qad@shriram institute-blr.org Mobile: 0-9845875539 Mr.S.MANICKA VASAGAM –DIRECTOR MOB: 9845959572 EMAIL ID :vasagam@shriram institute-blr.org	Dr.Yuvaraj.P,	22nd Nov, 2027	22nd Nov, 2027	Not Applicable	Mechanical -22nd Nov, 2027
153	Bangalore Analytical Research Centre Pvt. Ltd., Bengaluru, Survey No 57, Vijayaraja Estate, Chokkanahalli, Jakkur Post, Bengaluru, Karnataka	87/S/FSSAI/2024	TC-7125	Y	Nataraj.N (Director , Contact No. -9845301991) Manjunatha B (General Manager , Contact No.-8618284784) nataraj@barcindia.com, Manjunatha.b@barcindia.com, kavitha.C@barcindia.com	Ms.Kaviitha Chetan Mrs. Sunitha .C	12th Oct, 2026	12th Oct, 2026	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : https://nabl-india.org/ under Laboratory Search			
154	Vsix Analytical Labs Private Limited., Bengaluru #77 (502/503), 2nd Floor, 21st-'D' Cross, Muthurayaswamy Layout, Srigandhakaval, Sunkadakatte, Bengaluru-560091, Karnataka	27/S/FSSAI/2016	TC-7464	Y	Mrs. Nagalakshmi N.S. (Director) Tel:080-29778998 Mobile:09980833118 Email: nagalakshmi@vsixlabs.in nagalakshmi.vsix@gmail.com, vp.vsix@gmail.com, qc@vsixlabs.in, qa@vsixlabs.in Mahadevaiah C sales@vsixlabs.in 7022595903	Ms. Pooja Kulal	25th Dec, 2026	25th Dec, 2026	Not Applicable	Mechanical - 25th Dec 2026
155	Environmental Laboratory (Unit of Mineral Engineering Services LLP), #948, 2nd Cross, St. Thomas Town Post, Kammanahalli Main Road, Bengaluru, Bengaluru Urban, Karnataka, India	35/S/FSSAI/2016	TC-6172	Y	Mr. M. Sachin Raju (Executive Officer) Tel: 080-25432969 Fax: 080-25432968 Mobile: 09742147954 Email: mesbng@gmail.com, sachinraju2000@yahoo.com	Mr. Ashok Kumar Gargash	23rd May, 2027	23rd May, 2027	Not Applicable	Mechanical - 23rd May,2027
156	Sneha Test House, Bengaluru No. 8 & 28, 4th Cross, Maruthi Nagar, Chandra Layout, Bengaluru, Karnataka	79/S/FSSAI/2022	TC-8309	Y	Contact Person : Nagarj T A 9844027167 Email : lab.snehatesthouse@gmail.com; info@sthlab.com, bhoomika@sthlab.com, snehanagaraj09@gmail.com	Ms. Ashwini Sandeep Gurav	26th Jan, 2028	26th Jan, 2028	Not Applicable	Not Applicable
157	Robust Materials Technology Pvt. Ltd., Bengaluru No. 94, 2nd Floor, Thirumala Complex, Nagarabhavi Main Road, NGEF Layout, Nagarabhavi, Bengaluru-560072	21/S/FSSAI/2014	TC-6165	Y	Dr. K.R. Ravikumar(Director & CEO) Tel: 080-23186230, Fax: 080-23186230 Mobile: 0990213898 Email: info@robustmaterials.com, qa1@robustmaterials.com , ravikumar.kr@robustmaterials.com Malini R QA@ROBUSTMATERIALS.COM 9686695558	Mr. Karunakara A. C	10th Dec, 2026	10th Dec, 2026	Not Applicable	Not Applicable
158	SLN Testing Laboratory Private Limited No. 23, JDN Layout, 10th Cross, Raghavendra Industrial Area, Thigalarapalya Main Road, Peenya 2nd Stage, Bengaluru, Karnataka	98/S/FSSAI/2026	TC-14652	Y	Mr. Kumara S.R Mob: 9538888098 Email: slntestinglaboratory@gmail.com	Mr. Deivarajan B	22nd Oct, 2027	22nd Oct, 2027	Not Applicable	Not Applicable
159	Ganesh Consultancy & Analytical Services, Mysore No. 294/A, Hebbal Industrial Area, Mysore-570016	26/S/FSSAI/2016	TC-15192	Y	A.R. Subramanya (CEO) Tel-0821-2402986, Fax- 0821-4282027 Mobile: 09845475436 Email: lab.ganesh@gmail.com, info@ganeshlaboratory.com	Mr. Nagendra B.S.	31st May, 2027	31st May, 2027	Not Applicable	Not Applicable
160	Divisional Food Laboratory Kalaburagi, First Floor Central Bus Stand, Gulbarga, Karnataka	102/S/FSSAI/2026	TC-12242	Y	Sri P.Lokesh Email: dflgulabarga@gmail.com Mob: 9902673087 Tel: 08472-260427	Mr. P. Loksha	29th Mar, 2028	Not Applicable	Not Applicable	Not Applicable
Kerala										
161	Export Inspection Agency, (Ministry of Commerce & Industry, Govt. of India) 27/1767A, Shipyard Quarters Road, Panampilly Nagar(South), Kochi-682036, Kerala	11/S/FSSAI/2014	NABLT0926KL19481	Y	Mr. Shabbir Ali E-Mail: eia-kochilab@eicindia.gov.in; Telephone: 0484-2316945, 2316946, 2316949; Fax: 0484-2316948 Mobile No. 9953484973	Mr. Temburu Maheswara Rao Dr. Kajan Kumar Mr. Anoop Singh Sengar Ms. Pamitha N.S	10th Sept, 2028	10th Sept, 2028	Not Applicable	Not Applicable
162	Food Quality Monitoring Laboratory (FQML), Kerala Council for Food Research & Development Office, Perinjottakkal P.O., Konni, Pathanamthitta Distt., Kerala- 689692	57/S/FSSAI/2018	NABLT0926KL19434	N	Ms. Grace Baby (Chief Analyst) Mobile: 9747433348 Email: cacfrd@gmail.com	Ms. Grace Baby;	13th Aug 2030	13th Aug 2030	Not Applicable	Not Applicable
163	Interfield Laboratories, Kochi 13/1208 – A Interprint House, Karuvelpady, Kochi - 682005, Kerala	4/S/FSSAI/2014	TC-6338	Y	Gils P S, PhD, Tel: 0484-2210915 Mobile:- +918547328180, 9567438179 Email: gils.ps@gmail.com, test@ifl.in	Dr. Gils P.S. Ms. Anu Antony, Mr. Anandu Ravi Ms. Anjana Kaladharan Mr. Sanal Kumar K. S. Ms. Haslit Thomas Ms. Parveena Y. S.	20th Oct, 2026	20th Oct, 2026	Not Applicable	Not Applicable
164	CEPCI Laboratory & Research Institute, Kollam Cashew Bhawan, Mundakkal, Kollam-691001	34/S/FSSAI/2016	TC-11801	N	Ajini A.S ,Senior Scientist, Mob:- 7907598342 Email: cepcilab@cashewindia.org, ajini.as@cashewindia.org		20th june, 2029	20th june, 2029	Not Applicable	Not Applicable
165	Govt. Analyst's Laboratory, Thiruvananthapuram Red Cross Road, Vanchiyoor P.O., Thiruvananthapuram – 695035, Kerala	53/S/FSSAI/2017	TC-5455	Y	Ms.Vrinda S (Chief Government Analyst) Tel: 0471-2472192 Mob:89433 46180 Email: galtpvm@gmail.com	As Notified by State Government: Smt.Shynumol.T; Smt.Vrinda.S, Smt.Reshmi.S.L, Padma A.R	07th Feb, 2028	Not Applicable	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : https://nabl-india.org/ under Laboratory Search			
166	Regional Analytical Laboratory, Ernakulam Kakkanaad, Ernakulam - 682030, Kerala	54/S/FSSAI/2017	TC-6793	Y	Mrs. Ruby Mathew (Government Analyst) Tel: 0484-2422218 Mob: 7593000298, Email Id : regionalanalyticalabernakulam@gmail.com	As Notified by State Government: Smt.Ruby Mathew, Smt.Preethy Varghese, Smt.Thara J.	22nd Nov,2027	Not Applicable	Not Applicable	Not Applicable
167	Regional Analytical Laboratory, Kozhikode Malaparamba, Kozhikode, Kerala – 670009	55/S/FSSAI/2017	NABL T0826KL18940	Y	Shri. Anilkumar. T, (Deputy Government Analyst) Tel: 0495-2371101 ,Mob: 7593000271,9645473717 Email:ralkozhikode@gmail.com	As Notified by State Government: Shri. Anilkumar. T, Shri. Siyad.S, Shri.M.Subburaj	07th May, 2028	Not Applicable	Not Applicable	Not Applicable
168	State Laboratory for Livestock, Marine & Agri Product (SLMAP), Ernakulam Maradu, Nettor P.O., Ernakulam, Kerala	64/S/FSSAI/2018	TC-6891	N	Dr P S Shameem Abubaker Livestock Products Inspecting Officer Email: slmap.ahd@kerala.gov.in, slmap.ahd@kerala.gov.in Ph: 9447395303		10th Mar, 2029	10th Mar, 2029	Not Applicable	Not Applicable
169	The Marine Products Export Development Authority, Quality Control Laboratory, 5th Floor, MPEDA House, Panampilly Nagar, Kochi, Kerala	69/S/FSSAI/2018	TC-8117	Y	Ms. Suma A (Assistant Director) E-mail: lab.koc@mpeda.gov.in/suma@mpeda.gov.in Tel No.: +91-484-2311033/2315199 Mob: 9446460979/ 7989064524	Ms. Sabitha T. U	30th Oct, 2027	30th Oct, 2027	Not Applicable	Not Applicable
170	Confederation for Ayurvedic Renaissance Keralam Ltd., Koratty KINFRA, Small Industries Park, Nalukettu Road, Koratty – 680 309, Thrissur, Kerala	42/S/FSSAI/2016	TC-14591	N	Mr. Basil ; 09895654977 E-mail: tm@carekeralam.com, info@carekeralam.com		09th Oct, 2026	09th Oct, 2026	Not Applicable	Not Applicable
171	Accurate Analytic (General Purpose Laboratory), Cochin Nikarthis Road, Thoppumpady, Cochin – 682005	56/S/FSSAI/2018	TC-9496	N	Shri. A. Navaneetha Krishnan (Lab Manager) Mobile: 9249293998, 9249444406 Fax: 0484-2237848 Email: accurateanalytic@yahoo.co.in A Navaneetha Krishnan accurateanalytic@yahoo.co.in 9249293998	Ms. Betsy T Geevarghese Ms. Camilla Catherine Paiva Ms. Keerthana PS	03rd May, 2029	03rd May, 2029	Not Applicable	Not Applicable
172	Geo-Chem, Laboratories Pvt. Ltd., Aroor Aman Commercial Complex, Opp. Mercy School, Aroor-688537.	46/S/FSSAI/2017	TC-11621	Y	Ms. Beena Tilak (Laboratory Manager), Tel: 0478-2830800, 2830803, Contact No.: 9895132741 Authorized Person Mobile No.: 9895132741 Mobile No.:9895132741 Email: beena.t@geochem.net.in, lab.cochin@geochem.net.in, admin.cochinlab@geochem.net.in	Mr. Jithin C.R., Mrs. Neeraja P.N	30th July, 2027	30th July, 2027	Not Applicable	Not Applicable
173	FQ Lab and Research Centre Private Limited, Cochin OS-30 & 31, IIIrd Floor, GCDA Complex, Marine Drive, Ernakulam, Kochi, Kerala-6820310	29/S/FSSAI/2016	TC-6259	Y	Mr. O. Raghunath (Dy. Chief Executive) Tel: 0484- 4026686, Fax: 0484-2360499 Mobile: 09895054411 Email: ceo@fqllrc.com ; fqlabindia@gmail.com ; synergee95@gmail.com Dr BABY JACOB synergee95@gmail.com 9895054410	Mr. Vishnu Das Mrs. Sonia Biju	06th Sept, 2027	06th Sept, 2027	Not Applicable	Not Applicable
174	ECO Green Labs India Private Limited, Cherthala Taluk, 436-H, I, J, K, L, M, Ward No. 16, Perumparampil, Panvel Kochi Kanyakumari Highway, Happy Tyre Works, Aroor, Kerala	93/S/FSSAI/2025	TC-15810	Y	Mr. D Balakrishnam green_balu74@yahoo.com/qualitykl@ecogreenlabsindia.com mobile: 9894785841	Mr Maruthi S	31st March, 2027	31st March, 2027	Not Applicable	Not Applicable
175	Testing and Analysis Laboratory, Environmental Technology Division, CSIR-National Institute for Interdisciplinary Science and Technology (CSIR-NIIST), Industrial Estate P. O., Pappanamcode, Thiruvananthapuram, Kerala	94/S/FSSAI/2025	TC-14725	Y	Mr Abdul Haleem, CSIR-National Institute for Interdisciplinary Science and Technology (CSIR-NIIST), abdulhaleem.niist@csir.res.in Mobile: 9526542242		17th Oct, 2026	Not Applicable	Not Applicable	Not Applicable
176	NDDB CALF LTD. 497/A/UA, Edappally, Kochi, Kerala	95/S/FSSAI/2026	TC-16717	Y	P Rohith Kumar; Ph: 6357934225 ; Email : prohith@nddbcalf.com, vinod@nddbcalf.com	Mr Vinod Kumar P	05th Sep, 2027	05th Sep, 2027	Not Applicable	Not Applicable
177	Standards Environmental & Analytical Laboratories Standards', Building No. 338/A, B, C, D, E, Edayar, Muppathadam P.O., Kochi, Ernakulam, Kerala	100/S/FSSAI/2026	TC-12939	Y	Mr.Laiju P.N (Laboratory Head) Email: seaalab@gmail.com Tel: 0484-2546660 Mob: +91 9387272402	Mr. Ramar Ramaian	16th Jan, 2028	16th Jan, 2028	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : https://nabl-india.org/ under Laboratory Search			
178	QUALITY TESTING LABORATORY,COCONUT DEVELOPMENT BOARD SOUTH VAZHAKULAM, ALUVA, ERNAKULAM, KERALA, INDIA	101/S/FSSAI/2026	TC-6836	Y	Dr. Ankur Kumar (Quality Manager) Email: ankurkumar.iitd@gmail.com; cdbqtl@gmail.com Tel: 0484-2679680 Mob: 9910027732	Mr. Ankur Kumar	13th Feb, 2028	13th Feb, 2028	Not Applicable	Not Applicable
179	Envirodesigns Eco Labs Private Limited, Eco Tower, Janatha Jn., Palarivattom, Kochi, Kerala	104/S/FSSAI/2026	TC-17077	Y	K. L. Antony (Managing Director), Mob: 9447050018; Email: kiantony@envirodesigns.in	Mr. Bennimon V.	27 April, 2028	27 April, 2028	Not Applicable	Not Applicable
Tamil Nadu										
180	Chennai Mettex Lab Private Limited, Chennai Jothi Complex, No. 83, M.K.N. Road, Guindy, Chennai-600032	30 /S/FSSAI/2016	NABLT0826TN18972	Y	Mr. V.K.Selvakumar (Director - Technical) Tel.: 044-22323163 , 42179490 / 91 Fax: + 91 44 22311034 Mobile: 09841078949 E.Mail: test@mextexlab.com, vks@mextexlab.com	Dr. D. Sathiya Narayanan Mr. S. Thiyagarajan Ms. Hemalatha, Mr. S. Srienganathan, Mr. V. Vairavel	15th June, 2028	15th June, 2028	Not Applicable	Not Applicable
181	M/s.Global Lab and Consultancy Services LLP, Tamil Nadu SF. No. 92/3A2, Geetha Nagar, Alagapuram Pudur, Salem, Tamil Nadu	58/S/FSSAI/2018	NABLT0826TN19151	Y	Mr. N. Senthil Kumar (COO & Partner) Tel: 0427-2970 989, Mob: 07094452626 Email: sk@glcs.in , lab@glcs.in	Mr. Murugesan. S Mr. Sathiskumar	31st July, 2028	31st July, 2028	Not Applicable	Not Applicable
182	Interstellar Testing Centre Private Limited, Chennai Plot No. 2, Site No. 12/2A, Industrial Estate, Perungudi, Sholinganallur Taluk, Chennai - 600094, Tamil Nadu	60/S/FSSAI/2018	TC-15730	Y	Mr. Kamal Grover; Lab Head 8800990919 Email ID : kamal.grover@itclabs.com	Dr. Prabakaran Vadivel Mr. Merugu Rami Reddy	30th Oct, 2026	30th Oct, 2026	Not Applicable	Not Applicable
183	Monarch Nuclear Counting Laboratory (A Unit of Monarch Biotech Pvt. Ltd.), 37- A, SIDCO Industrial Estate, Thirumazhisai. Chennai - 600 124, Tamil Nadu	39/S/FSSAI/2016	NABLT0926TN19334	Y	Mr.A.M.Shiva Kaarthick, (Managing Director). Mobile: 09176640172 / 09176640177 Tel: 044-26810052 / 24352756 E-Mail: monarchbio@gmail.com Shri . Avula Mallikarjun Contact No. : 9840078198	Mr. Paulnadar Pandarakutty Jegatheesan; Mrs. Mahima Dhayanithy, Mr. T. Rooso Ms. Dhivya M Ms. Pavithra S Mr. Nagarajan	12th June, 2028	12th June, 2028	12th Sep, 2026	Not Applicable
184	SGS India Private Limited, Multi Laboratory, Chennai Opposite to State Bank of India, 28 B/1 (SP), 28 B/2 (SP), Second Main Road, Ambattur Industrial Estate, Chennai-600058.	1/S/FSSAI/2014	TC-5006	Y	Elaiyaperumaal. M Phone : +91 4466081769 Mobile : +91 91766 43816 E-mail: m.elaiyaperumal@sgs.com, Pratheeshkumar.N@sgs.com NIRMALA V. , Email ID: V.Nirmala@sgs.com Mobile No.: 9790925994	Mr. David Antony Mr. Elaiyaperumaal. M Ms. Ambika Analakkattillam Mr. Dhanasekar Venugopal Mr. Gopinath V	19th Nov, 2027	19th Nov, 2027	Not Applicable	Not Applicable
185	SMS Labs Services Private Limited, Chennai No. 39/6, Thiruvallur High Road, Puduchatram Post, Thirumazhisai Via, Poonamallee TK, Chennai – 600124	2/S/FSSAI/2014	TC-6118	Y	Mrs. Sharadha Murali (Director) Tel: 04426811662, 04426811664, Fax: 044-26811665 Mobile: 99625 18199 , 9444418694 Email: sharadhngm@gmail.com, sm@smsla.in, lab@smsla.in	Dr. Thulasi Raman Krishnan, Mr. S. Balaji Mr. Anbarasan. S Mr. R. Rajesh Mrs. Bhavani. B Ms. Jayasudha Parthasarathi	06th Dec, 2026	06th Dec, 2026	Not Applicable	06th Dec, 2026 (Mechanical)
186	Food Analysis Laboratory, Madurai, Tamil Nadu, Dr. Thangaraj Salai, Poor Home Campus, Madurai-625020	72/S/FSSAI/2021	TC-9606	Y	S. Suresh, M.Sc. 9940089699 ,falmdu@gmail.com	As Notified by State Government	15th June, 2027	Not Applicable	Not Applicable	Not Applicable
187	Food Analysis Laboratory, Coimbatore, 219, Race Course Road, Coimbatore, Tamil Nadu-641018	77/S/FSSAI/2021	TC-9786	Y	Mrs. K.Sankari Mob No. : 97909-41924 Email : falcbe18@gmail.com	As Notified by State Government Mrs. K.Sankari	22nd Aug, 2027	Not Applicable	Not Applicable	Not Applicable
188	Food Analysis Laboratory, Salem 953,Kamarajar Nagar Colony, Salem, Tamil Nadu-636014	78/S/FSSAI/2021	TC-9788	Y	S.Narasimhan Mob No. :9445209184, Email: foodlabsalem@gmail.com	As Notified by State Government; Thiru.S.Narasimhan	22nd Aug, 2027	Not Applicable	Not Applicable	Not Applicable
189	Food Analysis Laboratory, Thanjavur Membalam Medical College Road, Thanjavur, Tamil Nadu-613001	75/S/FSSAI/2021	TC-9756	Y	M. Sivashankar Email : falthanjavur@gmail.com Contact No.: 9786625500	As Notified by State Government	10th Aug, 2027	Not Applicable	Not Applicable	Not Applicable
190	Food Analysis Laboratory, Palayamkottai, Tamil Nadu, No. 5, Old Police Hospital Road, Palayamkottai, Tirunelveli-627002	74/S/FSSAI/2021	TC-9644	Y	S. Alex, 94421 30253 palaifoodlab@gmail.com	As Notified by State Government	27th June, 2027	Not Applicable	Not Applicable	Not Applicable
191	National Food Laboratory,Chennai (In PPP with NCML) 2nd floor north wing & 3rd floor, Central Documentation complex, Chennai Port Trust Building, Rajaji salai, George town, Chennai, Tamil Nadu	80/S/FSSAI/2022	TC-11071	Y	Dr. Sanu Jacob, Director (NFL-Chennai), Email : sanu.jacob@fssai.gov.in; Mob No:9400540044.	Mr. Sandeep Gaikwad, Mr. Jayashankar V Mr Korla Vignaraju Mr Baddela Manohar	20th Oct, 2026	20th Oct, 2026	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : https://nabl-india.org/ under Laboratory Search			
192	Analytical Technology Laboratory, Sri Gomuki Tex Chem Private Limited, 1/93, Mylapatti Post, Coimbatore, Tamil Nadu	85/S/FSSAI/2023	TC-7341	Y	Mr. S. Thiagarajan; Email: Thiagarajan@atlabs.co.in,Phn: 9500895001	Dr. R. Suthakaran Dr. Gourishankar Manikrao	30th Mar, 2027	30th Mar, 2027	Not Applicable	Not Applicable
193	Nawal Analytical Labs India Private Limited No: 18, Electrical & Electronics Industrial Estate, Bangalore Bypass Road, Hosur, Krishnagiri, Tamil Nadu	99/S/FSSAI/2026	TC-17375	Y	Mr. D. Balakrishnan Mob: 9894785841/9894785843 Email: ceo@nawallabs.com / qa@nawallabs.com	Mr. D.Balakrishnan,	5th Jan, 2028	5th Jan, 2028	Not Applicable	Not Applicable
194	Chennai Testing Laboratory Private Limited, Chennai A-Super 19, T.V.K. Industrial Estate, Guindy, Chennai- 600 032, Tamil Nadu.	44/S/FSSAI/2017	TC-14314	Y	Mr. TGH Ashok Kumar (Managing Director) Phone: 044-22501757; Mobile: 9841748130; Email: chennaitestinglab@gmail.com N RAJENDRAKUMAR Contact No.: 9841748177 Email: quality@chennaitestinglab.com	Mr. N. Rajendrakumar	18th Nov 2026	18th Nov 2026	Not Applicable	Not Applicable
195	The South India Textile Research Association, Coimbatore 13/37, Avinashi Road, Coimbatore, Tamil Nadu	92/S/FSSAI/2024	TC-6944	Y	Dr. Prakash Vasudevan- Director, S. Sivakumar, Quality Manager, 09842307924, ssk@sitra.org.in, tel no. 0422-4215317, Mob no. 08903442750	Ms. Sandhya C Nair	25th March, 2028	25th March, 2028	Not Applicable	Not Applicable
196	Food Analysis Laboratory, Guindy Office of the government Analyst, Chennai Guindy, Tamil Nadu-600032	71/S/FSSAI/2021	TC-9327	Y	M SHEELA Mob No. : 9884275153 Email : falgdynabl@gmail.com	As Notified by State Government	15th March, 2027	15th March, 2027	Not Applicable	Not Applicable
197	MATS India Pvt. Ltd (Laboratory Services Division), No.: 1A, 1B, Perumal Koil Street, Nerkundram, Chennai-600107	37/S/FSSAI/2016	TC-5358	Y	Dr.V.Rambabu, Designation:Laboratory Manager, Telephone Number: 044-24794010, Mobile Number: 09500073929 E.Mail: lab.manager@matsgroup.net; Mrs.V.Sripriya, Designation: Director Telephone Number: 044-24794010 Mob: 09840095622 Mail Id: lab.priya@matsgroup.com	Dr. Rambabu Mr. Ramajayam Mrs. R. Vijaya Ms. Bharathi Muralidharan	10th Sep, 2027	10th Sep, 2027	10th Sep, 2027	Not Applicable
198	Hubert Enviro Care Systems Limited, Guindy, Chennai A-21, III Phase, Thiru Vi Ka Industrial Estate, Guindy, Chennai, Tamil Nadu	88/S/FSSAI/2024	TC-17475	Y	Dr. Rajkumar Samuel ; qm@hecs.in; Ms. Anusuya D. Deputy Quality Manager MB NO:9884323124	Mr Murugaeswari K; Ms Jisha Prakash	24th Oct, 2027	24th Oct, 2027	Not Applicable	Not Applicable
199	Bureau Veritas (India) Pvt. Ltd., F2, Thiru-Vi-ka Industrial estate, Phase III, Ekkattuthangal, Guindy, Chennai-600032	67/S/FSSAI/2019	TC-8057	Y	Mr. Jishnu Chattopadhyay, National Lab Quality Manager Mob.: 9600090754 Mr. M.K Harichandra Prasad hari.prasad1@bureauveritas.com	Mr. Suresh R; Ms. M Shanthi	2nd Nov, 2027	2nd Nov, 2027	Not Applicable	2nd Nov, 2027
200	Scientific Food Testing Services Private Limited, Chennai S No 25/3 D No 8/6, Vellalar Street, Ayanambakkam, Chennai - 600095, Tamil Nadu	42/S/FSSAI/2016	TC-9951	Y	Dr. S.G. Gnanavendhan (Director-Technical) Tel: 044-45513309, 26162309, Fax: 044-26162309, Mob: 09840604698 E-mail: info@sftslab.com, gnanavendhan@hotmail.com. S Jawahar, Contact No:8939831943 E-Mail ID: jawahar@sftslab.com	Mr. S. Jawahar MS. B. Rubini Mr. Kishore	08th Oct, 2027	08th Oct, 2027	Not Applicable	Not Applicable
201	Export Inspection Agency, Chennai 6th Floor CMDA Tower II, No.1 Gandhi Irwin Road, Egmore, Chennai- 600008	17/S/FSSAI/2014	TC-7030	Y	PAPPI KHAWAS(Lab-Deputy Director Tel: 044-28552841/42, Fax: 044-28584350 Mobile: +91-9818188446, Mobile No.: 9790730827 Email: eia-chennai@eicindia.gov.in . Satish Shukla Contact No: 8451842688	Dr. Prakash Chandra Gupta Subhabrata De Mudasir Yaqoob	30th March, 2028	30th March, 2028	Not Applicable	Not Applicable
202	VJS Phytosanitary Service Private Limited (Food Testing Laboratory) 4/194A, C.G.E. Colony, 5th Street, Tuticorin, Tamil Nadu	96/S/FSSAI/2026	TC-15970	Y	Mr Vincent; Ph: 9790017965; Email: vincent@vjsphytosanitary.com	Mrs. B. Radhika Mr Paramasivan V	11th July, 2027	11th July, 2027	Not Applicable	Not Applicable
203	ABC Techno Labs India Private Limited, Chennai ABC Tower, No: 400, 13th Street, SIDCO Industrial Estate, North Phase, Ambattur, Chennai-600098, Tamil Nadu	63/S/FSSAI/2018	TC-5770	Y	Mr. G. Murugesh, Chairman & Managing Director Mobile: 095660 55555 Mail: murugesh@abctechnolab.com , quality@abctechnolab.com Dharani S Contact No: 9600412908 E-Mail ID: quality@abctechnolab.com	Mr. S. Karunanidhi	02nd April, 2028	02nd April, 2028	Not Applicable	

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : https://nabl-india.org/ under Laboratory Search			
204	MSME Testing Centre, 65/1, G.S.T Road, Guindy, Chennai, Tamil Nadu	103/S/FSSAI/2026	TC-11413	Y	G. Velladurai Joint Director & Head of Office Email: detc-sr@dcm sme.gov.in Tel: 044-22500284 Mob: 7666125995	Ms. S. Suganya	21st Feb, 2027	21st Feb, 2027	Not Applicable	Not Applicable
Telangana										
205	First Source Laboratory Solutions LLP Analytical Services, Hyderabad First Floor, Plot No. A1/B, IDA Nacharam Cross Road, Hyderabad-500076, Telangana	3/S/FSSAI/2014	TC-6745	Y	Sudhakar Yadlapalli (Vice President) Tel: : 040-27174037, 9121168611, Contact No.: 7680003040 , Mobile No.: 7569160006 Email: sudhakar@firstsourcels.com	Mr. Surendra Babu Peram	23rd Feb, 2028	23rd Feb, 2028	Not Applicable	Not Applicable
206	State Food Laboratory, Hyderabad Nacharam, Manikchand Road., Opp. Raheja Estate, Hyderabad, Telangana-500076	61/S/FSSAI/2018	TC-5430	Y	Dr. K. Shanker (Director) Mobile: 9849905227, 9154812663 Email: cfstelangana@gmail.com, diripmtg@gmail.com, G Laxmi Narayana Reddy , 9492535201, Email ID: sflfssaihyd@gmail.com	As Notified by State Government	27th Jan, 2027	27th Jan, 2027	Not Applicable	Not Applicable
207	Vimta Labs Limited, Hyderabad Plot No.5, Alexandria Knowledge Park, Genome Valley, Shameerpet, Hyderabad -500078, Telangana	13/S/FSSAI/2014	NABL T0626TS18190	Y	Apurv Sharma - Quality Manager Email: apurv.sharma@vimta.com Mobile:9100122625; Dr. Muni Prasad Poola, General Manager, Mob No.: 9121009302 muni.poola@vimta.com	Mr. Jagadeesh Kodali Mr.Narasimha Chari Chirala Ms.Yashaswini. J	30th March, 2028	30th March, 2028	30th March, 2028	30th March, 2028
208	MEGSAN LABS PRIVATE LIMITED #3-31/33, Plot No.:33/Part Sy. Nos. 123,124,125 & 142, Kompally, Hyderabad-500 014	38/S/FSSAI/2016	TC-11468	Y	P. Srinivasa Rao (Sr. Vice President-Operations) Contact No:- +91 99492 93022, +91 40 23452727 Email ID- p.srinivasarao@tentamus.com	Mr. A. Anil Kumar; Mr. Naresh Macherla Ms. Kothapalli udaya lakshmi	25th June, 2027	25th June, 2027	Not Applicable	Not Applicable
209	Analytical Testing Laboratory, National Institute of Pharmaceutical Education and Research, Hyderabad Balanagar, Hyderabad, Medchal Malkajgiri, Telangana	91/S/FSSAI/2024	TC-12381	Y	Dr. Amit Asthana- Registrar; Dr. Amol Dikundwar, amol.dikundwar@niperhyd.ac.in, 040-23074750, 09916527266	Patlolla Manasa Reddy	22nd Aug, 2027	Not Applicable	Not Applicable	Not Applicable
210	Vison Labs, Hyderabad H.No. 16-11-23/37/A, 2nd Floor, Opp. R.T.A Office, Musarambagh, Malakpet, Hyderabad – 500036, Telengana	59/S/FSSAI/2018	TC-5064	N	Mr. T. Laxmikanth Reddy Mobile: 9849110019, 9440841338 Tel: 040-24544320, 65792001 Email: vison.labs@gmail.com, info@visonlabs.com, vijay@visonlabs.com	---	25th Nov, 2029	25th Nov, 2029	Not Applicable	Not Applicable
211	Chemtex Labs India Private Limited, Hyderabad 2nd Floor, Plot No. 17 & 22, Tech Park Road, Road No. 12, Hyderabad, Medchal Malkajgiri, Telangana	86/S/FSSAI/2023	TC-11554	Y	BKVR Prasad Designation: General Manager-Operations Contact No.: 7997997954 Tele phone No.: 040-27171666	Mr.Bokka Krishna Venkata Rama Prasad	15th April, 2027	15th April, 2027	Not Applicable	Not Applicable
212	Care Labs, Hyderabad Plot No. 1, 3rd Floor, Sai Sadan Complex, Shiva Ganga Colony, LB Nagar, Hyderabad, Telengana	49/S/FSSAI/2017	TC-8067	N	Mrs. Roopa Reddy. A (Managing Director) Tel: 040- 24038820; Mobile: +91 985436528 Email: thrinika@gmail.com, mail2carelabs@gmail.com Shashi Ranjan Contact No.: 9885333368 Email ID: mail2carelabs@gmail.com	---	10th Dec, 2029	10th Dec, 2029	Not Applicable	Not Applicable
213	Intertek India Private Limited (Food Services), Hyderabad Plot no. D-53, IDA, Phase-1, Jeedimetla, Hyderabad-500055, Telangana	33/S/FSSAI/2016	NABL T0626TS05160	Y	Gandla Krishnaiah, Head Quality, Email Id: gandla.krishnaiah@intertek.com Mobile no:9912463921, Phone: +9140 42015258 Ext:117 G V Ravikumar, Head Operations Email Id: ravikumar.gv@intertek.com Mobile No: 9505222645	G Sonia Kumari , Mr Tharaka Rakesh Mr. Shravankumar Ms.Nemani Mounica	08th March, 2028	08th March, 2028	Not Applicable	Not Applicable
214	Livestock Products Testing and Certification Laboratory (LP-TCL) ICAR-National Meat Research Institute (ICAR-NMRI), Chengicherla, Hyderabad, Medchal Malkajgiri, Telangana	97/S/FSSAI/2026	TC-12542	Y	Dr. S.B Barbuddhe; Ph: 9447779717 ; Email: director.nmri@icar.org.in	Dr. Vishnuraj M R	02nd Dec, 2026	02nd Dec, 2026	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : https://nabl-india.org/ under Laboratory Search			
215	Bureau Veritas India Testing Services Pvt. Ltd., Central Laboratory, Hyderabad Plot No. 7-2-C/7 & 8, Sanath Nagar Industrial Estate, Sanath Nagar, Hyderabad Urban- 500018, Telangana	16/S/FSSAI/2014	NABLT0826TS19065	Y	1. Mr.Narasimha Chari Chirala Head Laboratory- Food E-mail: narasimha.chirala@bureauveritas.com Mobile: +91- 7738333142 2. Ms.P.Deepika Quality Manager Email: deepika.p@bureauveritas.com Mobile: +91- 9618032756	Mr. Rajasekhar Reddy Challa Mr. Addanki Vineeth Kumar Mr. Narala Upendar Reddy	13th Aug, 2028	13th Aug, 2028	Not Applicable	Mechanical - 13th Aug, 2028
D. EASTERN REGION										
Arunachal Pradesh, Sikkim, Andaman and Nicobar Islands)										
Assam										
216	State Public Health Laboratory, Bamuni Maidan, Guwahati, Assam	14/E/FSSAI/2020	TC-10845	Y	Mr. Anupam Gogoi Mobile: 8473882511, 9864029925 Email: foodanalyst@sphlassam.org	As Notified by State Government	19th Oct 2026	Not Applicable	Not Applicable	Not Applicable
217	TLABS, Tea Research Association, Tocklai Tea Research Institute, Tocklai Experimental Station, Jorhat, Assam	30/E/FSSAI/2025	TC-5537	Y	Dr Raktim Pal, Analytical Services Department r.pal@tocklai.net Mobile: 9434322692	Mr. Md Basirul Islam	05th Feb, 2027	Not Applicable	Not Applicable	Not Applicable
218	National Test House (NER), Guwahati Citi Complex, Kalapahar, Guwahati, Kamrup Metro, Assam	27/E/FSSAI/2024	TC-8294	Y	Mr. S. Mani, Scientist Incharge, nthner- ca@gov.in , sumanthkumarlaha@nth.gov.in , Tel No. 0361-2471938, 09444336115	Mr. Sumit Kumar Sinha	02 Feb 2028	02 Feb 2028	Not Applicable	Not Applicable
Bihar										
219	National Food Laboratory, Kolkata (Extension Centre Raxaul), Champaran (East), Hardia Kothi, Raxaul, Bihar, India	25/E/FSSAI/2022	NABLT0926BR19493	Y	Sh Mukund Dargar Mobile: 9406615510 Email: cfl.raxaul@gmail.com	Sh Mukund Dargar	03rd Oct, 2028	Not Applicable	Not Applicable	Not Applicable
220	Combined Food and Drug Laboratory, Patna Agamkuan, PO Gulzarbagh, Patna, Bihar - 800007	23/E/FSSAI/2022	NABLT0826BR19203	Y	Shri. Mahendra Pratap Singh Mobile: +91 9430030897 Email: mpratap19@gmail.com	As Notified by State Government	27th Jun, 2028	Not Applicable	Not Applicable	Not Applicable
221	Samadhan International Laboratories Private Limited Plot No. D5, Hajipur Ind. Area, Hajipur, Vaishali, Bihar	32/E/FSSAI/2026	TC-16198	Y	Mr.Shivjee Shah; Ph: 9031055622; Email: quality@samadhanlab.co.in	Ms. Srishti Yadav Mr. Sachin Kumar Chandan	04th June, 2027	04th June, 2027	Not Applicable	Not Applicable
Jharkhand										
222	Sun Tech, Jharkhand 40-p, Tupudana Industrial Area, Tupudana, Hatia, Ranchi, Jharkhand – 834003	7/E/FSSAI/2017	TC-5432	Y	Ms. Preeti Varma Mobile: +91 9304742696, +91 7808266661 Email: sun.tech.lab@gmail.com	Ms. Preeti Varma	30th Mar, 2028	30th Mar, 2028	Not Applicable	Not Applicable
223	State Food Testing Laboratory, Namkum, Ranchi Namkum, Ranchi, Jharkhand - 834010	24/E/FSSAI/2022	TC-15483	N	Contact Person : CHATURBHUI MEENA Tel No. : 9826444913 Email : chaturbhui.meena2@gmail.com	As Notified by State Government	11th Feb, 2029	Not Applicable	Not Applicable	Not Applicable
Chattisgarh										
224	State Food Testing Laboratory, Raipur, Food & Drugs Administration, Kalibadi, Raipur, Chattisgarh-492001	17/E/FSSAI/2021	TC-9664	Y	AKHILESH SHRIVASTAVA 8319063183 fdtltcg@gmail.com akhilesh7163@gmail.com , fdakorba@gmail.com	As Notified by State Government	04th July, 2027	Not Applicable	Not Applicable	Not Applicable
Odisha										
225	State Food Testing Laboratory, Bhubaneswar Convent Square, Kharvel Nagar, Bhubaneswar – 751001, Odisha	18/E/FSSAI/2022	TC-12644	Y	Dr. Kumuda Sahu 9437232189; Patitapabana Mohapatra- 9439555704 statephlab1956@gmail.com	As Notified by State Government Mr. Janmejaya Digal Mr. Bimal Chandra Singh.	23th Nov, 2027	23th Nov, 2027	Not Applicable	Not Applicable
Manipur										
226	State Public Health Laboratory, Manipur R&D Wing Complex, Medical Directorate, Lamphel, Imphal West, Manipur - 795004, Manipur	21/E/FSSAI/2022	NABLT0626MN18491	N	Shri Chabungbam Sanajaoba Meitei sphlmanipur@gmail.com , sanajaoba1568@gmail.com 9485267753	As Notified by State Government	28th May, 2030	Not Applicable	Not Applicable	Not Applicable
Meghalaya										
227	State Food Testing Laboratory, Shillong Directorate of Health and Services (Research etc.), Pasteur Institute, East Khasi Hills, Shillong – 793001, Meghalaya	19/E/FSSAI/2022	TC-13102	N	Smt. Wadamika Lyngdoh, Technical Manager, 0364-2590169 9436709631 sflmeg@gmail.com Rosetta Mary Kurbah Contact No: 9863318344 Email: rkurbah@yahoo.com	As Notified by State Government	Not Applicable	12th Dec, 2030	Not Applicable	Not Applicable
Nagaland										

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : https://nabl-india.org/ under Laboratory Search			
228	State Public Health Laboratory, Nagaland Paramedical Colony, Kohima, Nagaland, India	16/E/FSSAI/2021	TC-16790	Y	KHRUKUTOLU VESWUH Mob: 9436005608 Email: ttonne@rediffmail.com Seyiekhrielie Kehie Contact No.: 9089067235 , sphl_pfa@rediffmail.com	As Notified by State Government	16th Sept, 2027	Not Applicable	Not Applicable	Not Applicable
Tripura										
229	Regional Food Laboratory, Tripura Pandit Nehru Office Complex, Gurkhabasti, Agartala, West Tripura, Tripura - 799006	22/E/FSSAI/2022	TC- 10234	Y	Shri. Santanu Biswas Senior Chemist & I/C sftl.tripura@gmail.com, 9612255995 santanu.foodlaboratory@gmail.com 9436342975,	As Notified by State Government- Shri. Santanu Biswas	16th Jan, 2028	16th Jan, 2028	Not Applicable	Not Applicable
230	Food Testing Laboratory, Agartala Food Park, Bodhjungnagar, Agartala, Tripura -799008	9/E/FSSAI/2018	TC-5959	Y	Dr. Karunamay Nath, Public Analyst Mobile: 09436458179 Email: fltbagartala@gmail.com	Mr. Karunamay Nath	05th March, 2028	Not Applicable	Not Applicable	Not Applicable
West Bengal										
231	Edward Food Research and Analysis Centre Limited, Kolkata Subhas Nagar, Barasat, P.O: Nilgunj Bazar, Kolkata -700121	4/E/FSSAI/2014	NABL0826WB19113	Y	Dr. Balwinder Bajwa (CEO) Tel: 033-7112280, Fax: 033-7112281 Email: qa@efrac.org, regulatoryaffairs@efrac.org	Mr. Dipak Pramanik	23rd Apr, 2028	23rd Apr, 2028	Not Applicable	23rd Apr, 2028 (Mechanical)
232	Pesticide Residue Laboratory, Tea Research Association, Kolkata (TLabs, Tea Research Association) 113, Park Street, 9th Floor, Kolkata-700016, West Bengal.	10/E/FSSAI/2019	TC-5281	Y	Mr. Joydeep Phukan, Secretary, Tea Research Association, Dr. Bappaditya Kanrar (8777707121) Contact No.:033-22291815 9831093713,9475465480, 9903087269 E-mail: secretary@tocklai.net, tlabs.kolkata@tocklai.net	Mr. Ashim Dey	12th May, 2028	Not Applicable	Not Applicable	Not Applicable
233	West Bengal Public Health Laboratory, 2, Convent Lane, Kolkata, West Bengal	11/E/FSSAI/2019	NABL0926WB19291	Y	Food Analyst West Bengal E-mail: foodanalystwb@gmail.com Phone: 03323299225 Mobile: 9831699686 Dr. Radhanath Mandi 9433195570 directorecl5974@gmail.com	As Notified by State Government	01 Sep, 2028	01 Sep, 2028	Not Applicable	Not Applicable
234	National Food Laboratory, Kolkata, 3, Kyd Street, Kolkata, West Bengal	13/E/FSSAI/2020	TC-6584	Y	Dr. Geetanjali, Email id : nfl-kolkata@fssai.gov.in, geetanjali.sharma@fssai.gov.in; Mob No : 9432669565.	Mr. Chezien k. Mr. Debadutt Mishra Mr. Ligen Das Mr. Abhijit Roy Ms. N Siri Chandana Mr. Jayant Kumar	17th Jan, 2027	17th Jan, 2027	Not Applicable	Not Applicable
235	Central Laboratory (Food), Kolkata Municipal Laboratory, Kolkata, West Bengal Kolkata Municipal Corporation, 1A, Hogg Street, Kolkata 700087, West Bengal	15/E/FSSAI/2021	TC-11937	N	Sarmishtha Mukhopadhyay Mob No : 9830137201 Email : foodanalyst.kmc@gmail.com	As Notified by State Government	17th July, 2029	Not Applicable	Not Applicable	Not Applicable
236	Export Inspection Agency - Kolkata Laboratory (Ministry of Commerce & Industries, Govt of India) 101, Southend Conclave, 1582, Rajdanga Main Road, Kolkata-700107, West Bengal	2/E/FSSAI/2014	TC-7423	Y	Mr. Somnath Das Assistant Director (Tech.) Tel: 033- 24410603/02/01 Mobile No. 9790730827 Email: eia-kolkatalab@eicindia.gov.in	Mr. Somnath Das Dr. B. Vijay Kumar Mr. Anukul Das Dr Kajan Kumar	14th July, 2027	14th July, 2027	Not Applicable	Not Applicable
237	N. D. International Lab LLP, 17, Jnan Goswami Sarani, 107B, Block-F, New Alipore, Kolkata, West Bengal	26/E/FSSAI/2023	NABL0626WB18251	Y	Ms. Sutapa Patra, Quality Manager, Ph. No. 9433186847, sutapa@ndinternational.in, ndinternational@gmail.com	Mr. Suvendu Dasgupta	06th June, 2028	06th June, 2028	Not Applicable	Not Applicable
238	Qualissure Laboratory Services, 361, Prantick Pally, 45/361, Bosepukur Road, Kolkata, West Bengal	29/E/FSSAI/2025	TC-6271	Y	SUTAPA BHOWMIK info@qualissure.com/ qualissure@gmail.com Telephone No. 09830093976 Mobile No.9831287086	Dr. Sutapa Bhowmik	23rd Oct, 2026	23rd Oct, 2026	Not Applicable	Not Applicable
239	Quality Control Laboratory, Tea Board of India, Siliguri, Tea Park, Bhola More, P.O. Sahudangi Hat, Siliguri-735135, West Bengal	12/E/FSSAI/2019	TC-6002	Y	Dr Anirban Basu Majumder, In-Charge, QCL, E-mail: inchargeqcl@gmail.com qcl.tbi-wb@gov.in Tel No. : 0353-2960394, 9875449805	Ms. Satavisa Bhattacharjee	6th Nov, 2027	6th Nov, 2027	Not Applicable	Not Applicable
240	Eureka Analytical Services Private Limited, 1st Floor,Seven Hills,EN-34,EN Block, Kolkata, West Bengal	31/E/FSSAI/2025	TC-13994	Y	Dr. Bappa Ghosh GhoshBappa@eurekaserv.com Head - Lab Operations Mobile : +91-9364898062	Ms. Monalisa Ghosh	25th Jun, 2028	Not Applicable	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : https://nabl-india.org/ under Laboratory Search			
241	SGS India Private Limited, Kolkata CS Plot 512(P), Hanspukuria, D.H. Road, Joka, Kolkata-700104	1/E/FSSAI/2014	TC-7047	N	Anusuya Pakrashi (QE) Phone: +9133 6292153840 Mobile: +917208901345 Fax: +9133 24381022 E-mail: anusuya.pakrashi@sgs.com Sanat Majumder Contact No.: 9231772938 Mobile No.: 9831026305 Satya Manna Contact No: 9830590780 E-Mail ID: s.manna@sgs.com	Mr.Soumi Datta	27th Nov, 2029	27th Nov, 2029	Not Applicable	(Mechanical) 27th Nov, 2029
242	National Test House (Eastern Region), Block CP, Sector V, Salt Lake, Kolkata, West Bengal	33/E/FSSAI/2026	TC-5635	N	Mr. Anil Kumar Pandey (Scientist-C) Mobile: 9769196898 E-mail: anil.pandey67@nic.in	Mr. Sudhakar Jaiswal	07th Nov, 2027	07th Nov, 2027	Not Applicable	Not Applicable
243	Regional Food Testing Laboratory, Salbari Krishak Bazar, Siliguri, Darjeeling, West Bengal	34/E/FSSAI/2026	TC-17916	N	Mr. PAYEL DEY Mobile: 9123907257 E-mail: publicanalystfrtl@gmail.com	Mr. Bappaditya Banerjee	20 April, 2028	Not Applicable	Not Applicable	Not Applicable
Annexure II										
List of FSSAI notified laboratories whose NABL accreditation validity has expired and/or are under suspension or under process of denotification. (As on 097.10.2026)										
S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website https://nabl-india.org/ under			
1	% Bharat Test House, Delhi 454/2, Timber Market Azadpur Commercial Complex, Delhi-110033. (New Address : Bharat Test House Pvt Ltd., 1668 (Div-Ii), HSIIDC, Rai Industrial Estate, Sonipat, Haryana)	21/N/FSSAI/2014	TC-9000	N	Anil Kumar Taliwal (Director Technical) Tel: +91-11-27672629, 27675696 Fax: 011-43851204, Mobile: 09810922051 Email: scrn@bharattesthouse.com, bthinfo@bharattesthouse.com; director@bharattesthouse.com	---	17th oct, 2026	17th oct, 2026	Not Applicable	17th oct, 2026 (Mechanical)
2	% Ozone Pharmaceuticals Limited, Bahadurgarh 639 - 640, 1st floor, MIE, Bahadurgarh-124507, Haryana (First Floor, Ozone Ayurvedic Building, Village Bhondsi (Near C.R.P.F. Camp Kadarapur), Distt.-Gurgaon Haryana)	4/N/FSSAI/2014	TC-17159	N	Mr. Som Singh (General Manager Technical) Ph: 01276-267137, 267792 Fax: 01276-268037 Mobile: 09999704004, 9991704004 Email: ozonelab@ozonegp.com, somsingh@ozonegp.com, qc@ozonegp.com	---	23rd Nov, 2029	23rd Nov, 2029	Not Applicable	Not Applicable
3	& SEA Lab, Aroor Seafood Park India Limited, XIII/99A, Keltron Road, Aroor, Alleppey District, Kerala-688534	23/S/FSSAI/2014	TC-6408	Y	GEORGE V.I. Contact No.: 9446477447 Email ID: george.sealab@gmail.com Tel: 0478-2871375, 2871376, 2871377 Fax: 0478-2871378 Email: seafoodpark@hotmail.com, deepasealab@gmail.com	Ms. Soumya P S	23rd Feb, 2028	23rd Feb, 2028	Not Applicable	Not Applicable
4	& Apex Testing and Research Laboratory, New Delhi B-90, Shradapuri, Ramesh Nagar, Near Mother Dairy, New Delhi-110015 (9/50,KIRTI NAGAR INDUSTRIAL AREA, DELHI, INDIA)	45/N/FSSAI/2017	TC-8463	N	Dr. Ashish Kant Jain, Mobile: 08376945025, 9350049916, Tel: 011-47081611, Email: info.apex2015@gmail.com, ApexTesting.researchlab2015@gmail.com	---	28th Apr, 2026	28th Apr, 2026	Not Applicable	28th Apr, 2026 (Mechanical)
5	& Kalyani Laboratories Private Limited, Bhubaneswar Plot No- 78/944, Baliana, Pahala, Near Nissan Showroom, Bhubaneswar – 752101, Odisha.	6/E/FSSAI/2016	TC-17178	N	Dr. Debasis Biswal (Managing Director) Tel: 0674-6081992, Mobile: 09437306091 Email: kalyanilab@yahoo.co.in	Dr. Rekha Nayak; Dr. Arup Duttagupta	21st Sep, 2028	21st Sep, 2028	21st Sep, 2028	21st Sep, 2028 (Mechanical, Electrical)

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : https://nabl-india.org/ under Laboratory Search			
6	&Food Analysis and Research Laboratory (FARL), Aallahabad Centre of Food Technology, Science Faculty Campus, University of Allahabad, Allahabad-211002	37/N/FSSAI/2016	TC-13792	N	Mr. Rahul Agarwal Tel: 0532-2460289, Fax: 0532-2460289 Mobile: +91 9450586942 Email: farlcf@gmail.com, qacellcf@gmail.com	---	31st May, 2026	31st May, 2026	Not Applicable	Not Applicable
7	&Regional Food Research & Analysis Centre (Department of Horticulture and Food Processing, UP), Lucknow Udyan bhawan Campus, 2-Sapru Marg, Lucknow – 226 001, Uttar Pradesh	43/N/FSSAI/2016	NABL T0826UP19081	N	Dr. S.K. Chauhan (Director) Tel: 0522-4008358, Mob: 7052157777 E-mail: rfrac1ko2015@gmail.com	***	16th Aug, 2028	16th Aug, 2028	Not Applicable	Not Applicable
8	&CVR Labs (P) Limited, Chennai Dignity Centre, 2nd Floor, New No. 2/9, Old No. 21, Abdul Razack Street, Saidapet, Chennai – 600 015, Tamil Nadu	45/S/FSSAI/2017	TC-7618	Y	Mr. Balanurugan Chandran (Managing Director) Tel: 044-24330382 – 85 Mobile: 09500121372 Email: bala@cvrlabs.com, info@cvrlabs.com, sadasivan_sureshkumar@cvrlabs.com bala@cvrlabs.com		22nd Oct, 2025	22nd Oct, 2025	Not Applicable	Mechanical- 22nd Oct, 2025
9	&Italab, (Goa) Pvt. Ltd., Goa Italab House, Apollo Victor Hospital Road, Malbhat, Margao, Goa – 403 601	34/W/FSSAI/2016	TC-8070	N	Mr. Oscar de Santa Rita Vaz (Director) Tel: 0832-2739985, 2704883/36, Fax: 0832-2739955 E-mail: italab.goa@rediffmail.com, italabgoa@dataone.in Sandra Pereira italab.goa@rediffmail.com 0832270483	---	04th Apr, 2029	04th Apr, 2029	Not Applicable	Not Applicable
10	#Municipal Analyst Laboratory, Mumbai 2nd Floor, G/North Ward Offices Harishchandra Yelve Marg, Dadar (W), Mumbai, Maharashtra- 400028	56/W/FSSAI/2021	TC-9129	N	Contact Person : SANTOSH NARAYAN JATHAR Tel No : 9423505076 Email : municipalanalyst@gmail.com Mr Samadhan Shankar Sanap smdhns23@gmail.com 8879291050	As Notified by State Government	27th March, 2025	27th March, 2025	Not Applicable	Not Applicable
11	# Public Health Laboratory, B-33 Ambedkar Nagar, Alwar, Rajasthan, India	78/N/FSSAI/2021	TC-9526	N	Contact Person : Smt. Renu Sharma (Food Analyst) Email:phlabalwar@gmail.com fsslalalwar@gmail.com. Contact No :9413783383	Smt. Renu Sharma	09th May, 2025	Not Applicable	Not Applicable	Not Applicable
12	#Public Health Laboratory, Churu A.N.M.T.C. Center, Churu, Rajasthan	88/N/FSSAI/2023	TC-11551	N	Contact Person : Sh Indrajeet Aretiya (Food Analyst) Email:publichealthlab.churu@gmail.com Contact No : 9929637386	As Notified by State Government	12th Apr, 2025	Not Applicable	Not Applicable	Not Applicable
13	# Institute for Analysis of Pharma, Dairy, Food and Cultures (IADFAC), Bengaluru 8, Siddivinayaka Complex, Nagarabhavi 2ndStage, 2ndBlock, Near BDACComplex, 80 Feet Ring Road, Bengaluru	19/S/FSSAI/2014	TC-12554	Y	Mr. Abhijit Bhar President Mobile:8152881222 (Smitha-QA), Tel: 080-23186906/07 Email: qa@iadfac.com, info@iadfac.com		08th Nov, 2025	08th Nov, 2025	Not Applicable	Not Applicable
14	#Microtech Laboratory, Pune Plot No. GP-134, Shahunagar, G- Block, MIDC, Chinchwad, Pune - 411019, Maharashtra	2/W/FSSAI/2014	TC-14429	N	Mrs. Chaitali S. Shinde (Director) Tel: 020-41208220 Mobile: 09823349573, 8975890695 Email: microtechlabpune@gmail.com	Ms. Rushali Rajendra Girame	05th Oct, 2026	05th Oct, 2026	Not Applicable	Not Applicable
15	#Interstellar Testing Centre Pvt. Ltd., Panchkula, 86,Industrial Area, Phase-1, Panchkula - 134109	14/N/FSSAI/2014	TC-14896	Y	Mr. Kamal Grover (Director) Tel:0172-2561543,2565825 Mobile: 08284004411, 08800990919 Email: kamal.grover@itclabs.com	Mr. Mithun Khandelwal	04th Oct, 2026	04th Oct, 2026	Not Applicable	Not Applicable
16	Omshiva Test House Private Limited, Patna 122-C, Aastha, Road No. 5A, Patna, Bihar	28/E/FSSAI/2025	TC-14251	N	Mr.Pratiyush Pushkar (COO), Mobile: 8676886249, Email: sthpatna1@yahoo.co.in, dqm@shivatesthouse.in, coo@shivatesthouse.in	Ms. Parul Das	08th Oct 2026	08th Oct 2026	Not Applicable	Not Applicable
17	@Cultivator Phyto Lab Private Limited, Jodhpur 1st Floor, Plot No. 24-31, 25-30, Khasra No. 135/1, Sonamukhi Nagar, Sangaria Fanta, Jodhpur, Rajasthan	87/N/FSSAI/2023	TC-11655	Y	Mr. Sandeep Sharma (Lab Manager) Contact: 8696878606; Email: info@phytolab.in	Mr. Sajid Hussain.	17th May, 2027	17th May, 2027	Not Applicable	Not Applicable

\$- Laboratory suspended by NABL

%- The Laboratory is under the process of amendment as the laboratory had shifted their operation and NABL-FSSAI Integrated Assessment Certificate of Accreditation pending.

& - Laboratory suspended by FSSAI vide order dated 22.12.2022, 25.03.2025, 07.11.2025 and 11.03.2026

@- Laboratory under denotification process.

- NABL accreditation validity has expired as on 09.10.2026.