


With reference to this office Tender Notice No. **F. No. 12(4)/2019/Misc/RCD/FSSAI dated 24/12/2019** in r/o inviting Bids for Supply of Food Safety Smart Jackets for FSSAI, following Clauses have been added/amended as under: -


<u>Clause No.</u>	<u>Existing Provisions</u>	<u>Revised Provisions</u>
Clause 4.6 of Part II	The bidding firm/agency /company must have successfully done/completed in any of the government departments /organizations in India for 03 (three) similar works/services during the past two years ("Similar work means "Supply of Uniforms/dresses/lab coats to Central Govt./State Govt./ Autonomous Bodies including State/Central Universities). Attach copies of work order along with work completion report in support.	The bidding firm/agency /company must have successfully done/completed 03 (three) similar works/services during the past two years ("Similar work means "Supply of Uniforms/Dresses/Lab Coats to Central Govt./State Govt./ Autonomous Bodies/ Public Limited Company/Private Limited Company including State/Central Universities). Attach copies of work order along with work completion report in support
Clause 4.8 of Part II	The bidding agency should have an annual turnover of Rs. 100 Lakhs or more during the preceding three financial years viz. 2016-2017, 2017-2018, 2018-2019.	The bidding agency should have an Average Annual Turnover of Rs. 75 Lakhs or more during the preceding three financial years viz. 2016-2017, 2017-2018, 2018-2019.
Clause 1 of Part I	<b>30<sup>th</sup> January, 2020 by 1300 hrs.</b>	<b>06<sup>th</sup> February, 2020 by 1300 hrs.</b>
Clause 3 of Part I	<b>30<sup>th</sup> January, 2020 by 1500 hrs.</b>	<b>06<sup>th</sup> February, 2020 at 1500 hrs.</b>
Clause 2 of Part II	<b>Design, Size (Men &amp; Women) and Fabric Specifications</b>	<b>The Clause 2 of Part II is amended to the extent the details annexed to this Corrigendum as Annexure A, B &amp; C. Rest of the provisions mentioned in the Clauses 2 of Part II of the Tender Notice document remains unchanged.</b>
Addition of fresh Clause No. 2.1.4 in Part V	<b>The prospective bidders should note that before acceptance of L-1 bid, FSSAI may establish the reasonableness of the rates on the basis of estimated rates and the prevailing market rates consistent with the quality required. In case the rates quoted by the L-1 bidder are found to be Abnormally High Rated (AHR) or Abnormally Low Rated (ALR), the bid shall be rejected and the decision of FSSAI shall be final in this regard.</b>	

**Design Specification of Food Safety Smart Jacket**

CLIENT: FSSAI	GARMENT TYPE: UNISEX UNLINED SLEEVELESS LIGHT SUMMER JACKET	FABRIC: POLYESTER TWILL	COLOUR: SINGLE UNIFORM
UTILITY: FUNCTIONAL UNIFORM FOR SITE VISIT	STYLE: GROWN ON NECK, STRAIGHT SILHOUETTE, HIGH HIP LENGTH, LONG MULTI-POCKET	LEFT FIGURE: FRONT RIGHT FIGURE: BACK	DESIGN : 04A



CLIENT: FSSAI	GARMENT TYPE: UNISEX UNLINED SLEEVELESS LIGHT SUMMER JACKET	FABRIC: POLYESTER TWILL	COLOUR: SINGLE UNIFORM
UTILITY: FUNCTIONAL UNIFORM FOR SITE VISIT	STYLE: GROWN ON NECKLINE, STRAIGHT SILHOUETTE, HIGH HIP LENGTH, LONG MULTI-POCKET	FIGURE: FRONT IN DETAIL	DESIGN : 04A



**Food Safety Smart Jackets Size Chart**

MEN'S BODY SIZING CHART\*

	<b>M</b>	<b>L</b>	<b>XL</b>	<b>XXL</b>
Chest	39" - 41"	41" - 43"	43" - 46"	46" - 49"
Waist	33" - 35"	36" - 38"	38" - 42"	42" - 45"
Hip	39" - 41"	41" - 43"	43" - 46"	46" - 49"

WOMEN'S BODY SIZING CHART\*

	<b>S</b>	<b>M</b>	<b>L</b>	<b>XL</b>
Chest	33" - 35"	35" - 37"	37" - 39"	39" - 42"
Waist	26" - 28"	28" - 30"	30" - 32"	32" - 35"
Hip	36" - 38"	38" - 40"	40" - 42"	42" - 44"

**TECHNICAL SPECIFICATION OF THE CLOTH**

Type of Finish	Normal Finish	
Blend	P/C- 65/35	
Fabric Description		
Fabric Weave	2/1 Twill	
Construction (per Inch) (ASTM D3775)	Warp	100+/-3%
	Weft	60+/-3%
Count (NE)	Warp	20s PC
	Weft	20s PC
Weight/sq.mtr (GSM) (ASTM D3776)	200+/-5%	
Width(cms) with selvedge (ASTM D3774)	150+/-3 cms.	
<b>Physical Performance</b>		
%Shrinkage (ISO-6330-1A-90*c)	Warp	'+/-3%
	Weft	'+/-3%
Tumble Dry (After 5 washes)	Weft	'+/-3%
Abrasion Resistance (ISO-12947-9kPa)	20,000 rubs	
Pilling Resistance (ISO-12945-1-2) (Martindale) (5000Rubs)	4	
Breaking Strength [kgf] (ISO- 13934-1) (min) (200*50mm ravel strip method)	Wrap	85
	Weft	50
Tearing Strength [gf] (ISO 13937-1) (Elemendorf Tear)	Warp	3500
	Weft	3000
<b>Color Performance</b>		
Washing fastness (ISO-105-C06-E1S)	Shade Change	4
	Standing on Polyester	3-4 min.
	Standing on Cotton	3-4 min.
Perspiration Fastness (ISO-105-E04)	Shade Change	4
	a) Acidic	Shade Polyester
	b) Alkaline	Standing on Cotton
Rubbing Fastness (ISO-105-X12)	Dry	4
	Wet	'3/2-3 min.
Light Fastness (ISO-105-B02) (Blue wool stads.)	4 or Better	
<b>Wash Care Instructions</b>		
1. Machine Wash, Hot	60*Celsius	
2. Do Not Bleach		
3. Iron, Medium		
4. Tumble Dry, Normal, Low Heat		
5. Do Not Wring		
<b>Lining specification</b>		
Fabric poly cotton blend	65/35	
Features	Should be resilient, low maintenance, pilling proof, light weight, breathable fabric.	
Color	In shades of blue to enhance hanger value and preferably in thin stripes, or a block uniform color.	