

**REQUEST FOR PROPOSAL FOR PROCUREMENT OF MINOR
EQUIPMENTS BY FOOD SAFETY AND STANDARDS**

**AUTHORITY OF INDIA
(Limited Tender enquiry)**

Request for Proposal (RFP) No. 04/2018-19

No. 10/QA/FRSL GZB/PPP Model/FSSAI/2017
Food Safety and Standards Authority of India
(A statutory Authority established under the Food Safety
and Standards Act, 2006)
FDA Bhawan, Kotla Road, New Delhi-110002
Dated the 30th January, 2019

To,

As per list

The Food Safety and Standards Authority of India (hereinafter called "The Authority" invites tender in sealed cover on Single Bid System(Price Bid) for procurement of **MINOR EQUIPMENTS** for National Food Laboratory, Ahinsa Khand-II, Indirapuram, Ghaziabad-201014(UP). Please super scribe the above mentioned title, RFP No. and date of opening of the bids on the sealed covers to avoid the bid being declared invalid.

3. The address and contact numbers for sending Bids or seeking clarifications regarding this RFP are given below: -

- | | | |
|---|---|--|
| (a) Queries to be addressed to | : | nilesh.ojha@nic.in |
| (b) Postal Address for sending the Bids | : | Joint Director (Quality Assurance) Food Safety and Standards Authority of India, FDA Bhawan, Kotla Road, New Delhi-110002 |
| (c) Name/designation of contact person | : | Umesh Kumar Jain Joint Director (Quality Assurance) |
| (d) Telephone No. | : | 011- 23237417 |
| (e) Last Date and Time for Receipt of Tenders | : | 26 February 2019 at 1500 Hrs |
| (f) Date and Time of Opening of Tenders | : | 26 February 2019 at 1530 Hrs |

3. This RFP is divided into five Parts as follows: -

(a) **Part I** Contains General Information and Instructions for the Bidders about the RFP such as the time, place of submission and opening of tenders, Validity period of tenders, etc.

(b) **Part II** Contains Essential Details of the Items/Services required, such as the Schedule of Requirements (SOR), Technical Details, Delivery Period, Mode of Delivery and Consignee details and Technical Bid Format.

(c) **Part III** Contains Standard Conditions of RFP, which will form part of the Contract with the successful Bidder, besides other conditions contained in this RFP.

(d) **Part IV** Contains Special Conditions of RFP, which will also form part of the Contract with the successful Bidder.

(e) **Part V** Contains Evaluation Criteria and Format for Price Bids/Commercial Bids.

4. **Each page of this tender enquiry should be signed by the bidder or authorised representative and following certificate be given in the offer letter under the seal of the bidder:-**

' I/WE HEREBY DECLARE THAT ALL THE TERMS AND CONDITIONS GIVEN IN THE TENDER ENQUIRY ARE ACCEPTED BY ME/US ON BEHALF OF MY/OUR FIRM AS PER ANNEXURE I'

6. This RFP is being issued with no financial commitment and this office reserves the right to change or vary any part thereof at any stage. This office also reserves the right to withdraw the RFP, should it become necessary at any stage.

-Sd-

(Umesh Kumar Jain)
Jt. Director (Quality Assurance)
Food Safety and Standards
Authority of India, FDA
Bhawan, Kotla Road, New
Delhi-110002

PART I – GENERAL INFORMATION AND INSTUTIONS

1. **Last date and time for depositing the Bids:** **26 Feb 2019 by 1500 Hrs.**The sealed quotations under single bid system (Price Bid) in sealed covers should be deposited/reached by the due date and time. The responsibility to ensure this lies with the Bidder.
2. **Manner of depositing the Bids:** Sealed quotations should be dropped in the Tender Box marked for the said purpose by the due date and time. Late tenders will not be considered. No responsibility will be taken for postal delay or non-delivery/non receipt of Bid documents. Bids sent by FAX or e-mail will not be considered.
3. **Location of the Tender Box:** Reception Office, Food Safety and Standards Authority of India, FDA Bhawan, Kotla Road, New Delhi-110002. Only those Bids that are found in the tender box will be opened. Bids dropped in the wrong Tender Box will be rendered invalid.
4. **Time and date for opening of Bids:** The tender box will be opened on **26 Feb 2019 at 1530 hrs.** (If due to any exigency, the due date for opening of the Technical-Bid is declared a closed holiday, then it will be opened on the next working day at the same time or on any other day/time, as intimated by this office).
5. **Place of Opening of the Bids:** Conference Hall of Food Safety and Standards Authority of India, FDA Bhawan, Kotla Road, New Delhi-110002. The Bidders may depute their representatives, duly authorized in writing, to attend the opening of Bids on the due date and time. Rates and important commercial/technical clauses quoted by all Bidders will be read out in the presence of the representatives of all the Bidders. This event will not be postponed due to non-presence of your representative.
6. **Forwarding of Bids:** Bids should be forwarded by Bidders under their original memo/letter pad inter alia furnishing details like PAN, GST number, Bank address with NEFT Account, if applicable, etc. and complete postal & e-mail address of their office.
7. **Clarification regarding contents of the RFP:** A prospective bidder who requires clarification regarding the contents of the bidding documents shall notify to the Tender Inviting Authority in writing about the clarifications sought not later than 14 (fourteen) days prior to the date of opening of the Bids. Clarifications to specific requests shall be responded through e-mail and general clarifications, affecting all the bidders shall be published in the official website of the Tender Inviting Authority (www.fssai.gov.in). However, it shall be the duty of the prospective bidder to ensure that the clarifications sought for have been properly received in time by the Tender Inviting Authority.

During evaluation and comparison of bids, the Tender Inviting Authority may, at its discretion, ask or call the bidder for seeking clarification on his bid. The request for clarification will be given in writing/through email and no change in prices or substance of the bid will be sought, offered or permitted. No post-bid clarification on the initiative of the bidder will be entertained.

8. **Modification and Withdrawal of Bids:** A bidder may modify or withdraw his bid after submission provided that the written notice of modification or withdrawal is received by the Tender Inviting Authority prior to deadline prescribed for submission of bids. No bid shall be modified after the deadline for submission of bids. No bid may be withdrawn in the interval between the deadline for submission of bids and expiration of the period of bid validity specified. Withdrawal of a bid during this period will result in forfeiture of Bidder's EMD.

9. **Rejection of Bids:** Canvassing by the Bidder in any form, unsolicited letter and post-tender correction may invoke summary rejection with forfeiture of EMD. **Conditional tenders will also be rejected.**
10. **Validity of Bids:** The Bids should remain valid till **06 Months** from the last date of submission of the Bids.

PART II – ESSENTIAL DETAILS OF ITEMS/SERVICES REQUIRED

1. **Schedule of Requirements** – List of items/services required is as follow :-

| Sl. No. | Items | Qty |
|---------|----------------------------------|-----|
| 1 | Deep Freezer | 2 |
| 2 | Refrigerator | 2 |
| 3 | Laminar Air Flow | 1 |
| 4 | Biosafety Cabinet | 1 |
| 5 | Stomacher | 1 |
| 6 | Balance for 50 kg | 1 |
| 7 | Oven | 2 |
| 8 | pH meter | 2 |
| 9 | Incubator | 5 |
| 10 | Microscope binocular with camera | 1 |
| 11 | Microphotographic attachment | 1 |
| 12 | Water bath | 1 |
| 13 | ULTRA Sonicator | 1 |

Note : The bidder has to quote for all the items mentioned above. In Case bidder fails to quote for all the items mentioned above his bid will not be considered for evaluation. Consortium is allowed as a single entity or a subsidiary.

2. **Technical Details:**

SPECIFICATIONS

| Sl. No. | ITEM | Specifications |
|---------|------------------|---|
| 1 | DEEP FREEZER | <ul style="list-style-type: none"> • Upright laboratory Freezer • 5 sealed drawers with transparent front. • Direct cooling above each drawer • Stable temperature while the door is open. • Digital Display • Visual and acoustic alarm • High temperature alarm • Right hand hinged reversible door • Adjustable feet at front, and castors at back • All around sealed drawers to prevent frost escape when opening door. • Ambient temperature 32°C • CFC Free refrigerant • Gross Capacity (L): 350 • Temperature range: -16°C to -24°C • Power supply: (V) 230 • Frequency (Hz): 50 |
| 2 | REFRIGERATOR | <ul style="list-style-type: none"> • Minimum Capacity 350 Ltr. • Temp: (+2°C~+8°C) • Refrigerant: R134A • Warranty: 5 years or more |
| 3 | Laminar Air Flow | <p>DIGITAL MICROPROCESSOR CONTROLLED LAMINAR AIR FLOW,</p> <ul style="list-style-type: none"> • Laminar' structure should be made of S.S with SS table top., built in blower motor to provide uniform air |

| Sl. No. | ITEM | Specifications |
|---------|-------------------|--|
| | | <p>flow through out the working table. A very high quality of HEPA filter having efficiency greater than 99.97% down to 0.3 micron is fixed with no air leakage to provide sterile area better than Class 100/ISO 5. A washable Pre-filter of pore size 9 – 10 micron should also be fixed for better efficiency and longer life of HEPA Filter. Complete with acrylic front & sides, UV and Fluorescent Tube, Cock for Gas or Vacuum line, Magnehelic gauge, To comply ISO–14644 (I)/US Fed 209 E/Schedule “M”</p> |
| 4 | BIOSAFETY CABINET | <p>DIGITAL MICROPROCESSOR CONTROLLED BIO-SAFETY CABINET, (VERTICAL – DOWN FLOW) Cabinet’ structure should be made of S.S with S.S table top., built in blower motor to provide uniform air flow through out the working table. A very high quality of HEPA filter having efficiency greater than 99.97% down to 0.3 micron should be fixed at both supply & exhaust with no air leakage to provide sterile area better than Class 100/ISO 5. A washable Pre-filter of pore size 9 – 10 micron should also be fixed for better efficiency and longer life of HEPA Filter. Sliding front door, UV and Fluorescent Tube, Magnehelic Gauge, Cock for Gas or Vacuum. To comply ISO–14644 (I)/US Fed 209 E</p> |
| 5 | STOMACHER | <p>It should be an easy-to-use and powerful lab blender. Adapted to all kinds of applications and with a guarantee of optimal bacterial extraction, , equipped with its window door and adjustable paddles, ensures fast and perfect homogenization for lab analyses.</p> <p>TECHNICAL SPECIFICATIONS</p> <ul style="list-style-type: none"> • All stainless steel 304L • Window door • Multi-function digital screen • Useful volume: 50 - 400 mL • Variable speed (4 - 6 - 8 - 10 strokes/s) • Variable blending time (1 s – 1 h or / count down) • Click & Clean® removable paddles (patented) • Side-by-side paddle stop • Fully opening door (270°) • Silent brushless motor • Security drip tray • Voltage and frequency: 240V~ 50Hz <ul style="list-style-type: none"> • 3-year warranty • It should be in compliance with: ISO 7218, ISO 6887-1 and FDA BAM (Bacteriological Analytical Manual) |
| 6 | BALANCE FOR 50 KG | <ul style="list-style-type: none"> • Specifications <p>Indicator</p> <ul style="list-style-type: none"> • Capacity: 60 Kg/5gm • Rechargeable battery • LED display • A.B.S. Indicator • Should be approved OIML/NTEP/EC/TUV/Govt. of India <p>Platform</p> <ul style="list-style-type: none"> • Economy Bench/Platform Scale • S.S. 304 TOP Plate |

| Sl. No. | ITEM | Specifications |
|---------|-----------|---|
| | | <ul style="list-style-type: none"> • Back Rail • Heavy Duty Platform Scale |
| 7 | OVEN | <ul style="list-style-type: none"> • Natural Oven without Glass Window • Dust-Free Gravity-Flow Convection • Digital PID Control • Rapid Heat up 25 min upto 250°C • With Digital Timer built-in Controller • Capacity: 56 L with Fan. • Heater: 1.5 KW • Convection: Natural Convection • Timer: Automatic timer 0-99 min, 99hr, continuous • Temp range: Ambient +15°C to 250°C • Set Accuracy: $\pm 1.0^{\circ}\text{C}$ • Uniformity: $\pm 5.0^{\circ}\text{C}$ at 120°C • Shelves: Adjustable 2 or 3 shelves • Material Interior: Stainless Steel Exterior: Epoxy powder coated Steel • Insulation: Glass Wool • Electric Supply: 220 V, 50/60 Hz |
| 8 | PH METER | <ul style="list-style-type: none"> • Should be Up to 5 point calibration with auto buffer recognition • Large, easy-to-read display • Integral electrode holder • Should have Non-volatile memory holds up to 100 data points • PH range: -2.00 to 14.00 pH • Resolution/Accuracy: 0.01 pH/$\pm 0.01\text{pH}$ • ORP range: $\pm 2000\text{ mV}$ • Resolution/Accuracy: 0.1\pm 199.9 mV/1mV (beyond) $\pm 0.2(\pm 199.9\text{ mV}/\pm 2\text{mV}(\text{beyond}))$ • Temp Range: 0.0 to 100°C (32.0 to 212.0°F) • Resolution/Accuracy: 0.1°C(0.1°F)/$\pm 0.3^{\circ}\text{C}/\pm 0.5^{\circ}\text{F}$ (0 to 70°C) • ATC: Yes (0 to 100°C) • Buffer Options: USA: pH 1.68, 4.01, 7.00, 10.01, 12.45 • No. of pH Calibration Points : 5 points • Built-in electrode Arm: Yes • Memory: 100 Data sets |
| 9 | INCUBATOR | <p>Construction</p> <ul style="list-style-type: none"> • External case should have treated with a corrosive resistant epoxy coating • Internal part: Easy to clean AISI 304 stainless steel double chamber, self adjusting door seal and adjustable shelves and guides. • Flexible floating door seal, self adjusting that maintains the best possible seal. <p>Technical Properties:</p> <ul style="list-style-type: none"> • Excellent thermal qualities of the insulation has the optimum performance according to heater capacity and power consumption, with minimal external temperature loss. • Independent heating chamber for the heating |

| Sl. No. | ITEM | Specifications |
|---------|----------------------------------|---|
| | | <p>elements to obtain an even heat distribution and rapid temperature equilibrium and stabilization.</p> <ul style="list-style-type: none"> • Should have a turbo fan. <p>Other</p> <ul style="list-style-type: none"> • Microprocessor controlled device should be provided with TFT Touch Screen for showing a no. of parameters and functions:- <ul style="list-style-type: none"> ➤ TFT touch screen ➤ Visual audible alarm ➤ Temperature control auto-tuning ➤ Configurable parameters: Date/time, temperature correction, data collection interval ➤ Language (English,) °C/°F selection, over temperature and low temperature limit |
| 10 | MICROSCOPE BINOCULAR WITH CAMERA | <ul style="list-style-type: none"> • CX21i/Tr Olyumpus Trinocular Microscope with camera • Standard complete microscope set with Siedentopf Trinocular head • Integrated 6V 20W halogen light illuminator, Anti-Fungal coated PlanAchromatic Objectives 4x, 10x, 40x (spring) & 100x (oil, spring), paired wide filed eyepieces 10x (F.N.20), • UIS2 Infinity Plan Optics for excellent image flatness, Siedentopf, binocular head for IPD adjustment, Anti-fungus treatment for tropical durability, Highpoint paired eyepieces (F. N. 20), Abbe condenser with high performance aspheric lenses for bright & uniform illumination throughout the field of view, • MAGCAM DC5 digital camera with 0.5X TR Adopter |
| 11 | MICROPHOTOGRAPHIC ATTACHMENT | <ul style="list-style-type: none"> • Standard microscope set complete with Binocular head, integrated 6V 20W halogen light illuminator, Anti-Fungal coated Achromatic Objectives iNEA 4X, 10X, 40X (spring) & 100x (oil, spring), paired wide field eyepieces iCWHK 10x (F.N. 18), • Anti-fungus treatment optics for tropical durability, Achromatic Objectives, Abbe condenser with high performance aspheric lenses for bright & uniform illumination throughout the field of view. • Magcam DC 5 Digital camera. |
| 12 | WATER BATH | <ul style="list-style-type: none"> • Digital Water Bath, 11L • Microprocessor PID Control for 0.1 Precision, • Seamless Stainless Steel Bath (SUS 304) • Capacity: 11 Ltrs |
| 13 | ULTRA SONICATOR | <ul style="list-style-type: none"> • Ultrasonic Cleaner • Bath Capacity of 10.7 litter • Built in micro process controller. • Furnishing all information- Ultrasonic power, set time, elapsed time, set temperature, solution temperature, heater operation status. . • Using a silicon rubber heater for durability and stability. • Built in alarm function for noticing operation stop. |

3. **Delivery Period**– Delivery period for supply of items would be **45days** from the date of issue of Supply Order. Please note that Supply Order can be cancelled unilaterally by the Buyer in case items are not received within the Supply Ordered delivery period. Extension of Supply Ordered delivery period will be at the sole discretion of the Buyer, with applicability of Liquidated Damages(LD) clause.

4. **Penalty for delay in supplies / Installation**: In the event of delay in supply, installation, testing and commissioning of the equipment to the satisfaction of the **Director, National Food Laboratory, Ahinsa Khand-II, Indirapuram, Ghaziabad-201014(UP)** beyond the stipulated date:

a. The Bidder will inform **Director, Ahinsa Khand-II, Indirapuram, Ghaziabad-201014(UP)** well in advance in writing the reasons for delay in supply and/or installation of the equipment.

b. **Director, NFL, Ghaziabad** shall have the right to recover liquidated damages at the rate of 0.25% of the Value of the equipment per day, by which the supplies or their satisfactory installation and commissioning is delayed subject to a maximum of 10%. Once the maximum is reached **FSSAI/Director, NFL, Ghaziabad** may consider termination of the supply order.

Note: The right to accept the reason(s) for delay and consider reduction or waive off the penalty for the same shall be at the sole discretion of FSSAI.

5. **Consignee Details**. O/o The Director, National Food Laboratory, Ahinsa Khand-II, Indirapuram, Ghaziabad-201014(UP).

6. Bidders should have the capability to attend repairs of the equipment and have the capability to ensure the uptime in a year of 90% as per **Annexure II**.

7. Bidders who have been blacklisted / debarred by the Tender Inviting Authority or blacklisted / debarred by any State Government or Central Government department/Organization should not participate in the tender during the period of blacklisting. The bidder should enclose an undertaking to this effect along with the Bid as per **Annexure III**.

8. **Other terms and Conditions**:

(a) All the terms and conditions in respect of warranty/guarantee, CAMC/AMC, Training of Staff etc shall be complied with.

(b) The bidder shall be responsible for payment of any charges due to any statutory authorities such as Income Tax, GST, Customs Duties, etc.

(c) In the event, if it found that there is some statutory deduction to be made at the source, the Tender Inviting Authority will have the authority to do so.

9. **Amendment of tender documents**:

(a) At any time prior to the dead line for submission of Tender, the Tender Inviting Authority may, for any reason, modify the tender document by amendment.

(b) The amendments shall be published on the website, and the tender shall submit copy of amendments published if any signed by the bidder or the authorized representative shall be enclosed as part of the technical bid as a proof of having read and accepted the terms and conditions of the tender document.

(c) The Tender Inviting Authority shall not be responsible for failure to inform the prospective bidders for any notices published related to each tender. Bidders are requested to browse the website of the Tender Inviting Authority for information/general notices/amendments to tender document etc on a day to day basis till the tender is concluded.

PART III- STANDARD CONDITIONS OF RFP

The Bidder is required to give confirmation of their acceptance of the Standard Conditions of the Request for Proposal mentioned below which will automatically be considered as part of the Contract concluded with the successful Bidder (i.e. Seller in the Contract) as selected by the Tender Inviting Authority(i.e. Buyer). Failure to do so may result in rejection of the Bid submitted by the Bidder.

2. **Law**: The Supply Order shall be considered and made in accordance with the law of the Republic of India. The Supply Order shall be governed by and interpreted in accordance with the laws of the Republic of India.

3. **Award of Contract**. The contract will be awarded to the lowest evaluated responsive bidder.

4. **Effective Date of the Contract**.The contract shall come into effect on the date of signature by both the parties on the contract (Effective Date) and shall remain valid until the completion of the obligations of the parties under the contract. The deliveries and supplies and performance of the services shall commence from the effective date of the contract.

5. **Effective Date of the Supply Order**: The Supply Order shall come into effect on the date of its acknowledgment by the Seller and shall remain valid until the completion of the obligations of the parties under the Supply Order. The deliveries and supplies and performance of the service shall commence from the effective date of the Supply Order.

6. **Arbitration**. All disputes or differences arising out of or in connection with the Contract shall be settled by bilateral discussions. Any dispute, disagreement or question arising out of or relating to the Contract or relating to construction or performance, which cannot be settled amicably, may be resolved through arbitration. The standard clause of arbitration is as per the Arbitration and Conciliation Act, 1996 of India. Venue of Arbitration shall be the place from where the contract has been issued i.e. New Delhi, India.

7. **Penalty for use of Undue influence**. The Seller undertakes that he has not given, offered or promised to give, directly or indirectly, any gift, consideration, reward, commission, fees, brokerage or inducement to any person in service of the Buyer or otherwise in procuring the Contracts or forbearing to do or for having done or forborne to do any act in relation to the obtaining or execution of the present Contract or any other Contract with the Government of India for showing or forbearing to show favour or disfavour to any person in relation to the present Contract or any other Contract with the Government of India. Any breach of the aforesaid undertaking by the Seller or any one employed by him or acting on his behalf (whether with or without the knowledge of the Seller) or the commission of any offers by the Seller or anyone employed by him or acting on his behalf, as defined in Chapter IX of the Indian Penal Code, 1860 or the Prevention of Corruption Act, 1986 or any other Act enacted for the prevention of corruption shall entitle the Buyer to cancel the contract and all or any other contracts with the Seller and recover from the Seller the amount of any loss arising from such cancellation. A decision of the Buyer or his nominee to the effect that a breach of the undertaking had been committed shall be final and binding on the Seller. Giving or offering of any gift, bribe or inducement or any attempt at any such act on behalf of the Seller towards any officer/employee of the Buyer or to any other person in a position to influence any officer/employee of the Buyer for showing any favour in relation to this or any other contract, shall render the Seller to such liability/ penalty as the Buyer may deem proper, including but not limited to termination of the contract, imposition of penal damages, forfeiture of the Bank Guarantee and refund of the amounts paid by the Buyer.

8. **Agents / Agency Commission**: The Seller confirms and declares to the Buyer that the Seller is the original manufacturer of the stores/provider of the services referred to in this Supply Order and has not engaged any individual or firm, whether Indian or foreign

whatsoever, to intercede, facilitate or in any way to recommend to the Government of India or any of its functionaries whether officially or unofficially, to the award of the Supply Order to the Seller; nor has any amount been paid, promised or intended to be paid to any such individual or firm in respect of any such intercession, facilitation or recommendation. The Seller agrees that if it is established at any time to the satisfaction of the Buyer that the present declaration is in any way incorrect or if at a later stage it is discovered by the Buyer that the Seller has engaged any such individual/firm, and paid or intended to pay any amount, gift, reward, fees, commission or consideration to such person, party, firm or institution, whether before or after the signing of this Supply Order, the Seller will be liable to refund that amount to the Buyer. The Seller will also be debarred from entering into any Supply Order with the Government of India/FSSAI for a minimum period of five years. The Buyer will also have a right to consider cancellation of the Supply Order either wholly or in part, without any entitlement or compensation to the Seller who shall in such an event be liable to refund all payments made by the Buyer in terms of the Supply Order along with interest at the rate of 2% per annum above LIBOR rate. The Buyer will also have the right to recover any such amount from any Supply Orders concluded earlier with the Government of India/FSSAI.

9. **Non-disclosure of Supply Order documents:** Except with the written consent of the Buyer / Seller, other party shall not disclose the Supply Order or any provision, specification, plan, design, pattern, sample or information thereof to any third party.

10. **Termination of Supply Order:** The Buyer shall have the right to terminate this Supply Order in part or in full in any of the following cases:-

(a) The delivery of the material is delayed for causes not attributable to Force Majeure for more than (02 months) after the scheduled date of delivery.

(b) The Seller is declared bankrupt or becomes insolvent.

(c) The delivery of material is delayed due to causes of Force Majeure by more than (04 months).

(d) The Buyer has noticed that the Seller has utilized the services of any Indian/Foreign agent in getting this Supply Order and paid any commission to such individual/company etc.

(e) As per decision of the Arbitration Tribunal.

11. **Notices** : Any notice required or permitted by the Supply Order shall be written in the English language and may be delivered personally or may be sent by FAX or registered pre-paid mail/airmail, addressed to the last known address of the party to whom it is sent.

12. **Transfer and Sub-letting:** The seller has no right to give, bargain, sell, assign or sublet or otherwise dispose of the Supply Order or any part thereof, as well as to give or to let a third party take benefit or advantage of the present Supply Order or any part thereof.

13. **Patents and other Industrial Property Rights:** The prices stated in the present Supply Order shall be deemed to include all amounts payable for the use of patents, copyrights, registered charges, trademarks and payments for any other industrial property rights. The Seller shall indemnify the Buyer against all claims from a third party at any time on account of the infringement of any or all the rights mentioned in the previous paragraphs, whether such claims arise in respect of manufacture or use. The Seller shall be responsible for the completion of the supplies including spares, tools, technical literature and training aggregates irrespective of the fact of infringement of the supplies, irrespective of the fact of infringement of any or all the rights mentioned above.

14. **Amendments:** No provision of present Supply Order shall be changed or modified in any way (including this provision) either in whole or in part except by an instrument in writing made after the date of this Supply Order and signed on behalf of both the parties and which expressly states to amend the present Supply Order.

15. **Taxes and Duties**

(i) **General**

- (a) Bidders must indicate separately the relevant Taxes/Duties likely to be paid in connection with delivery of completed goods specified in RFP. In absence of this, the total cost quoted by them in their bid will be taken into account in the ranking of bids.
- (b) If a Bidder is exempted from payment of any duty/tax upto any value of supplies from them, he should clearly state that no such duty/tax will be charged by them up to the limit of exemption which they may have. If any concession is available in regard to rate/quantum of any duty/tax, it should be brought out clearly. In such cases, relevant certificate will be issued by the Buyer later to enable the Seller to obtain exemptions from taxation authorities.
- (c) Any changes in levies, taxes and duties levied by Central/State/Local government such as excise duty, Octroi/entry tax, GST etc. on final product upward as a result of any statutory variation taking place within contract period shall be allowed reimbursement by the Buyer, to the extent of actual quantum of such duty/tax paid by the Seller. Similarly, in case of downward revision in any such duty/tax, the actual quantum of reduction of such duty/tax shall be reimbursed to the Buyer by the Seller. All such adjustments shall include all reliefs, exemptions, rebates, concession etc, if any, obtained by the Seller. Section 64-A of Sales of Goods Act will be relevant in this situation.
- (d) Levies, taxes and duties levied by Central/State/Local governments such as excise duty, Octroi/entry tax, GST etc. on final product will be paid by the Buyer on actual, based on relevant documentary evidence. Taxes and duties on input items will not be paid by Buyer and they may not be indicted separately in the bids. Bidders are required to include the same in the pricing of their product.

(ii) **GST**

- (a) If it is desired by the Bidder to ask for GST to be paid as extra, the same must be specifically stated. In the absence of any such stipulation in the bid, it will be presumed that the prices quoted by the Bidder are inclusive of GST and no liability of GST will be developed upon the Buyer.
- (b) On the Bids quoting GST extra, the rate and the nature of GST applicable at the time of supply should be shown separately. GST will be paid to the Seller at the rate at which it is liable to be assessed or has actually been assessed provided the transaction of sale is legally liable to GST and the same is payable as per the terms of the Supply Order.

(iii) **Octroi Duty & Local Taxes**

- (a) Normally, materials to be supplied to Government Departments against Government Supply Orders are exempted from levy of town duty, Octroi Duty, Terminal Tax and other levies of local bodies. The local Town/Municipal Body regulations at times, however, provide for such Exemption only on production of such exemption certificate from any authorised officer. Seller should ensure that stores ordered against Supply Orders placed by this office are exempted from levy of Town Duty/Octroi Duty, Terminal Tax or other local taxes and duties. Wherever required, they should obtain the exemption certificate from the Buyer, to avoid payment of such local taxes or duties.
- (b) In case where the Municipality or other local body insists upon payment of these duties or taxes the same should be paid by the Seller to avoid delay in supplies and possible demurrage charges. The receipt obtained for such payment should be forwarded to the Buyer without delay together with a copy of the relevant act or by-laws/notifications of the Municipality of the local body concerned to enable him to take up the question of refund with the concerned bodies if admissible under the said acts or rules.

PART IV- SPECIAL CONDITIONS OF RFP

1. The Bidder is required to give confirmation of their acceptance of Special Conditions of the RFP mentioned below which will automatically be considered as part of the Contract concluded with the successful Bidder (i.e. Seller in the Contract) as selected by the Tender Inviting Authority (i.e. Buyer). Failure to do so may result in rejection of Bid submitted by the Bidder.

2. **Performance Guarantee:**

The Seller will be required to furnish a Performance Guarantee by way of Bank Guarantee through a public sector bank or a private sector bank authorized to conduct government business for a sum equal to 10% of the contract value within 30 days of receipt of the confirmed order. Performance Bank Guarantee should be valid up to 60 days beyond the date of warranty.

3. **Option Clause:** To take care of any change in the requirement during the period starting from issue of RFP till placement of the contract, Buyer reserves the right to 100% plus/minus increase or decrease the quantity of the required goods up to that limit without any change in the terms & conditions and prices quoted by the Seller. While awarding the contract, the quantity ordered can be increased or decreased by the Buyer within this tolerance limit.

4. **Payment Terms:** The payment will be made as per the following terms on production of the requisite documents:

| S.N. | Amount to be paid, INR | Condition(s) for release |
|------|---|--|
| 1 | 80 % of the cost of equipment / item | Upon presentation of the duly endorsed (by the user Authority) original shipping documents by the Seller |
| 2 | Next 10% of the cost of equipment / item | Within 15 days of the receipt of request in writing from the Seller, accompanied by a certificate from the user Authority to the effect that the quantities ordered have been received; and that the equipment / item has been installed & commissioned satisfactorily. GST and Custom duty, if any, shall also be paid on actual basis subject to production of actual payment receipt by the Seller. |
| 3 | Balance 10% of the cost of equipment / item | Within 15 days of the receipt of request in writing from the Seller, accompanied by a certificate from the user Authority to the effect that the required training and validation (wherever applicable) has been imparted satisfactorily. |

5. **Paying Authority :**

The payment will be made on submission of the following documents by the Seller to the Paying Authority along with the bill:

- i. Ink-signed copy of contingent bill / Seller's bill.
- ii. Ink signed copy of commercial invoice/Seller's bill.
- iii. Copy of Supply Order and Contract.

- iv. CRVs in duplicate.
- v. Inspection note.
- vi. Claim for statutory and other levies to be supported with requisite documents / proof of payment such as Excise duty challan, Customs duty clearance certificate, Octroi receipt, proof of payment for EPF/ESIC contribution with nominal roll of beneficiaries, etc as applicable.
- vii. Guarantee / Warranty certificate.
- viii. Performance Bank guarantee /Indemnity bond where applicable.
- ix. Details for electronic payment viz Account holder's name, Bank name, Branch name and address, Account type, Account number, IFSC code, MICR code (if these details are not incorporated in supply order/Supply Order).
- x. Any other document / certificate that may be provided for in the Supply Order.
- xi. User Acceptance.

6. **Fall clause.** The following Fall clause will form part of the contract placed on successful bidder

(a) The price charged for the stores supplied under the contract by the Seller shall in no event exceed the lowest prices at which the Seller sells the stores or offer to sell stores of identical description to any persons/Organisation including the purchaser or any department of the Central government or any Department of State government or any statutory undertaking of the Central or State government as the case may be during the period till performance of all supply Orders placed during the currency of the rate contract is completed.

(b) If at any time, during the said period the Seller reduces the sale price, sells or offer to sell such stores to any person/organisation including the Buyer or any Deptt, of Central Govt. or any Department of the State Government or any Statutory undertaking of the Central or State Government as the case may be at a price lower than the price chargeable under the contract, the Seller shall forthwith notify such reduction or sale or offer of sale to the Buyer and the price payable under the contract for the stores of such reduction of sale or offer of the sale shall stand correspondingly reduced.

(c) The Seller shall furnish the following certificate to the Paying Authority along with each bill for payment for supplies made against the Rate contract – "We certify that there has been no reduction in sale price of the stores of description identical to the stores supplied to the Government under the contract herein and such stores have not been offered/sold by me/us to any person/organisation including the purchaser or any department of Central Government or any Department of a state Government or any Statutory Undertaking of the Central or state Government as the case may be upto the date of bill/the date of completion of supplies against all supply orders placed during the currency of the Rate Contract at price lower than the price charged to the government under the contract except for quantity of stores categories under sub-clauses (a),(b) and of sub-para (ii) above details of which -
.....".

7. **Risk & Expense clause:-**

(a) Should the stores or any installment thereof not be delivered within the time or times specified in the contract documents, or if defective delivery is made in respect of the stores or any installment thereof, the Buyer shall after granting the Seller 45 days to cure the breach, be at liberty, without prejudice to the right to recover liquidated damages as a remedy for breach of contract, to declare the contract as cancelled either wholly or to the extent of such default.

(b) Should the stores or any installment thereof not perform in accordance with the specifications / parameters provided by the SELLER during the check proof tests to be done in the BUYER's country, the BUYER shall be at liberty, without prejudice to any other remedies for breach of contract, to cancel the contract wholly or to the extent of such default.

(c) In case of a material breach that was not remedied within 45 days, the BUYER shall, having given the right of first refusal to the SELLER be at liberty to purchase, manufacture, or procure from any other source as he thinks fit, other stores of the same or similar description to make good:-

(i) Such default.

(ii) In the event of the contract being wholly determined the balance of the stores remaining to be delivered there under.

(d) Any excess of the purchase price, cost of manufacturer, or value of any stores procured from any other supplier as the case may be, over the contract price appropriate to such default or balance shall be recoverable from the SELLER. Such recoveries shall not exceed 10% of the value of the contract.”

8. **Force Majeure clause :-**

(a) Neither party shall bear responsibility for the complete or partial nonperformance of any of its obligations (except for failure to pay any sum which has become due on account of receipt of goods under the provisions of the present contract), if the non-performance results from such Force Majeure circumstances as Flood, Fire, Earth Quake and other acts of God as well as War, Military operation, blockade, Acts or Actions of State Authorities or any other circumstances beyond the parties control that have arisen after the conclusion of the present contract.

(b) In such circumstances the time stipulated for the performance of an obligation under the present contract is extended correspondingly for the period of time of action of these circumstances and their consequences.

(c) The party for which it becomes impossible to meet obligations under this contract due to Force Majeure conditions, is to notify in written form the other party of the beginning and cessation of the above circumstances immediately, but in any case not later than 10 (Ten) days from the moment of their beginning.

(d) Certificate of a Chamber of Commerce (Commerce and Industry) or other competent authority or organization of the respective country shall be a sufficient proof of commencement and cessation of the above circumstances.

(e) If the impossibility of complete or partial performance of an obligation lasts for more than 4 (four) months, either party hereto reserves the right to terminate the contract totally or partially upon giving prior written notice of 30 (thirty) days to the other party of the intention to terminate without any liability other than reimbursement on the terms provided in the agreement for the goods received.

9. **Quality:**The quality of the stores delivered according to the present Contract shall correspond to the technical conditions and standards valid for the deliveries of the same stores for in Seller's country or specifications enumerated as per RFP and shall also include therein modification to the stores suggested by the Buyer. Such modifications will be mutually agreed to. The Seller confirms that the stores to be supplied under this Contract shall be new i.e. not manufactured before (Year of Contract), and shall incorporate all the latest improvements and modifications thereto and spares of improved and modified equipment are backward integrated and interchangeable with same equipment supplied by the Seller in the past if any. The Seller shall supply an interchangeability certificate along with the changed part numbers wherein it should be mentioned that item would provide as much life as the original item.

10. **Warranty/Training:** The Seller has to warrant that the Goods supplied under this Contract are new, unused, of the most recent or current models and incorporate all recent improvements in design and materials unless provided otherwise in the Contract.

Warranty: Minimum 03 Years warranty after successful installation of the instrument. Service and training during warranty period should be free of cost. This should cover the repair and maintenance with spare parts of the equipment purchased under the Supply Order. This will also include :

(i) **Preventive Maintenance Service:** The Seller will provide a minimum of two Preventive Maintenance Service visits during a year to the operating base to carry out functional check-ups and minor adjustments/tuning as may be required.

(ii) **Breakdown Maintenance Service:** In case of any breakdown of the equipment/system, on receiving a call from the Buyer, the Seller is to provide maintenance service to make the equipment/system serviceable.

(b) **Response time:** The response time of the Seller should not exceed 48 hours from the time the breakdown intimation is provided by the Buyer.

(c) Serviceability of 90% per year is to be ensured. This amounts to total maximum downtime of 37 days per year. Also unavailability should not exceed 2 working days at one time. Required spares to attain this serviceability may be stored at site by the Seller at his own cost. Total down time would be calculated at the end of the year. If downtime exceeds permitted downtime, Liquidated Damages would be applicable for the delayed period.

(d) Maximum repair turnaround time for equipment/system would be 3 days. However, the spares should be maintained in a serviceable condition to avoid complete breakdown of the equipment/system.

(e) **Technical Documentation :** All necessary changes in the documentation (Technical and Operators manual) for changes carried out on hardware and software of the equipment will be provided.

(f) During the Warranty period, the Seller shall carry out all necessary servicing/repairs to the equipment/system under Warranty at the current location of the equipment/system. Prior permission of the Buyer would be required in case certain components/sub systems are to be shifted out of location. On such occasions, before taking over the goods or components, the Seller will give suitable bank guarantee to the Buyer to cover the estimated current value of item being taken.

(g) The Buyer reserves its right to terminate the maintenance Supply Order at any time without assigning any reason after giving a notice of 1 month. The Seller will not be entitled to claim any compensation against such termination. However, while terminating the Supply Order, if any payment is due to the Seller for maintenance services already performed in terms of the Supply Order, the same would be paid to it as per the Supply Order terms.

11. **Uptime.** The successful bidder will guarantee to provide 90% uptime of all the systems during warranty and subsequent AMC. In case of failure to do so, proportionate payment will be deducted from the bank guarantee/payment due to the successful bidder.

14. **Special conditions:**

(a) The bidder has to arrange supply of equipment/material as per the technical specification mentioned in para 2 of Part II of RFP.

(b) The bidder has to provide the after sales support for the equipment/material and other works done.

(c) The certificate of fitness shall be obtained by the Seller.

(d) The bidder will ensure that the equipment is properly insured for 110% of the order value to cover the transit upto site of installation of the equipment.

(f) Best trade packing suitable for safe Rail/Road/Air transit shall be used subject to packing and marking being acceptable to the Inspecting Authority.

PART V- EVALUATION CRITERIA & PRICE BID ISSUE

1. **Evaluation Criteria**- The broad guidelines for evaluation of Bids will be as follows:

(a) The Lowest Bid will be decided upon the lowest price quoted by the particular Bidder as per the Price Format given at Para 2 below. The consideration of taxes and duties in evaluation process will be as follows :-

- L-1 bidder will be determined by excluding levies, taxes and duties levied by Central/State/Local governments such as excise duty, GST, Octroi/entry tax, etc. on Goods and Services as quoted by bidders.

(b) If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price will prevail and the total price will be corrected. If there is discrepancy between words and figures; the amount in words will prevail for calculation of price.

(c) The Lowest acceptable Bid will be considered further for placement of Supply order after complete clarification and price negotiations as decided by the Tender Inviting Authority.

(d) The Bidders are required to spell out the rates of GST, etc in unambiguous terms; otherwise their offers will be loaded with the maximum rates of duties and taxes for the purpose of comparison of prices. In the absence of any such stipulation it will be presumed that the prices quoted are firm and final and no claim on account of such duties will be entreated after the opening of tenders.

(e) Any other criteria as applicable to suit in a particular case.

2. **Price Bid Format** : The Price Bid Format is given below and Bidders are required to fill this up correctly with full details, as required under Part-II of RFP :-

(a) **Basic cost of the item/items:**

Cost Details

| Sl. No. | ITEM | Specifications | Qty | Price in INR |
|----------------|--------------|---|------------|---------------------|
| 1 | DEEP FREEZER | <ul style="list-style-type: none">• Upright laboratory Freezer• 5 sealed drawers with transparent front.• Direct cooling above each drawer• Stable temperature while the door is open.• Digital Display• Visual and acoustic alarm• High temperature alarm• Right hand hinged reversible door• Adjustable feet at front, and castors at back• All around sealed drawers to prevent frost escape when opening door.• Ambient temperature 32°C• CFC Free refrigerant• Gross Capacity (L): 350 | 02 | |

| Sl. No. | ITEM | Specifications | Qty | Price in INR |
|---------|-------------------|--|-----|--------------|
| | | <ul style="list-style-type: none"> • Temperature range: -16°C to -24°C • Power supply: (V) 230 • Frequency (Hz): 50 | | |
| 2 | REFRIGERATOR | <ul style="list-style-type: none"> • Minimum Capacity 350 Ltr. • Temp: (+2°C~+8°C) • Refrigerant: R134A • Warranty: 5 years or more | 02 | |
| 3 | Laminar Air Flow | <p>DIGITAL MICROPROCESSOR CONTROLLED LAMINAR AIR FLOW,</p> <ul style="list-style-type: none"> • Laminar' structure should be made of S.S with SS table top., built in blower motor to provide uniform air flow through out the working table. A very high quality of HEPA filter having efficiency greater than 99.97% down to 0.3 micron is fixed with no air leakage to provide sterile area better than Class 100/ISO 5. A washable Pre-filter of pore size 9 – 10 micron should also be fixed for better efficiency and longer life of HEPA Filter. Complete with acrylic front & sides, UV and Fluorescent Tube, Cock for Gas or Vacuum line, Magnehelic gauge, To comply ISO–14644 (I)/US Fed 209 E/Schedule "M" | 01 | |
| 4 | BIOSAFETY CABINET | <p>DIGITAL MICROPROCESSOR CONTROLLED BIO-SAFETY CABINET, (VERTICAL – DOWN FLOW) Cabinet' structure should be made of S.S with S.S table top., built in blower motor to provide uniform air flow through out the working table. A very high quality of HEPA filter having efficiency greater than 99.97% down to 0.3 micron should be fixed at both supply & exhaust with no air leakage to provide sterile area better than Class 100/ISO 5. A washable Pre-filter of pore size 9 – 10 micron should also be fixed for better efficiency and longer life of HEPA Filter. Sliding front door, UV and Fluorescent Tube, Magnehelic Gauge, Cock for Gas or Vacuum. To comply ISO–14644 (I)/US Fed 209 E</p> | 01 | |
| 5 | STOMACHER | <p>It should be an easy-to-use and powerful lab blender. Adapted to all kinds of applications and with a guarantee of optimal bacterial extraction, , equipped with its window door and adjustable paddles, ensures fast and perfect homogenization for lab analyses.</p> | 01 | |

| Sl. No. | ITEM | Specifications | Qty | Price in INR |
|---------|-------------------|--|-----|--------------|
| | | <p>TECHNICAL SPECIFICATIONS</p> <ul style="list-style-type: none"> • All stainless steel 304L • Window door • Multi-function digital screen • Useful volume: 50 - 400 mL • Variable speed (4 - 6 - 8 - 10 strokes/s) • Variable blending time (1 s – 1 h or / count down) • Click & Clean® removable paddles (patented) • Side-by-side paddle stop • Fully opening door (270°) • Silent brushless motor • Security drip tray • Voltage and frequency: 240V~ 50Hz <ul style="list-style-type: none"> • 3-year warranty • It should be in compliance with: ISO 7218, ISO 6887-1 and FDA BAM (Bacteriological Analytical Manual) | | |
| 6 | BALANCE FOR 50 KG | <ul style="list-style-type: none"> • Specifications <p>Indicator</p> <ul style="list-style-type: none"> • Capacity: 60 Kg/5gm • Rechargeable battery • LED display • A.B.S. Indicator • Should be approved OIML/NTEP/EC/TUV/Govt. of India <p>Platform</p> <ul style="list-style-type: none"> • Economy Bench/Platform Scale • S.S. 304 TOP Plate • Back Rail • Heavy Duty Platform Scale | 01 | |
| 7 | OVEN | <ul style="list-style-type: none"> • Natural Oven without Glass Window • Dust-Free Gravity-Flow Convection • Digital PID Control • Rapid Heat up 25 min upto 250°C • With Digital Timer built-in Controller • Capacity: 56 L with Fan. • Heater: 1.5 KW • Convection: Natural Convection • Timer: Automatic timer 0-99 min, 99hr, continuous • Temp range: Ambient +15°C to 250°C • Set Accuracy: ±1.0°C • Uniformity: ±5.0°C at 120°C • Shelves: Adjustable 2 or 3 shelves | 02 | |

| Sl. No. | ITEM | Specifications | Qty | Price in INR |
|---------|-----------|---|-----|--------------|
| | | <ul style="list-style-type: none"> • Material Interior: Stainless Steel Exterior: Epoxy powder coated Steel • Insulation: Glass Wool • Electric Supply: 220 V, 50/60 Hz | | |
| 8 | PH METER | <ul style="list-style-type: none"> • Should be Up to 5 point calibration with auto buffer recognition • Large, easy-to-read display • Integral electrode holder • Should have Non-volatile memory holds up to 100 data points • PH range: -2.00 to 14.00 pH • Resolution/Accuracy: 0.01 pH/\pm 0.01pH • ORP range: \pm 2000 mV • Resolution/Accuracy: 0.1\pm 199.9 mV/1mV (beyond) \pm0.2(\pm199.9 mV/\pm2mV(beyond) • Temp Range: 0.0 to 100^oC (32.0 to 212.0^oF) • Resolution/Accuracy: 0.1^oC(0.1^oF)/\pm0.3^oC/\pm0.5^oF (0 to 70^oC) • ATC: Yes (0 to 100^oC) • Buffer Options: USA: pH 1.68, 4.01, 7.00, 10.01, 12.45 • No. of pH Calibration Points : 5 points • Built-in electrode Arm: Yes • Memory: 100 Data sets | 02 | |
| 9 | INCUBATOR | <p>Construction</p> <ul style="list-style-type: none"> • External case should have treated with a corrosive resistant epoxy coating • Internal part: Easy to clean AISI 304 stainless steel double chamber, self adjusting door seal and adjustable shelves and guides. • Flexible floating door seal, self adjusting that maintains the best possible seal. <p>Technical Properties:</p> <ul style="list-style-type: none"> • Excellent thermal qualities of the insulation has the optimum performance according to heater capacity and power consumption, with minimal external temperature loss. • Independent heating chamber for the heating elements to | 05 | |

| Sl. No. | ITEM | Specifications | Qty | Price in INR |
|---------|----------------------------------|---|-----|--------------|
| | | <p>obtain an even heat distribution and rapid temperature equilibrium and stabilization.</p> <ul style="list-style-type: none"> • Should have a turbo fan. <p>Other</p> <ul style="list-style-type: none"> • Microprocessor controlled device should be provided with TFT Touch Screen for showing a no. of parameters and functions:- <ul style="list-style-type: none"> ➤ TFT touch screen ➤ Visual audible alarm ➤ Temperature control auto-tuning ➤ Configurable parameters: Date/time, temperature correction, data collection interval ➤ Language (English,) °C/°F selection, over temperature and low temperature limit | | |
| 10 | MICROSCOPE BINOCULAR WITH CAMERA | <ul style="list-style-type: none"> • CX21i/Tr Olyumpus Trinocular Microscope with camera • Standard complete microscope set with Siedentopf Trinocular head • Integrated 6V 20W halogen light illuminator, Anti-Fungal coated PlanAchromatic Objectives 4x, 10x, 40x (spring) & 100x (oil, spring), paired wide filed eyepieces 10x (F.N.20), • UIS2 Infinity Plan Optics for excellent image flatness, Siedentopf, binocular head for IPD adjustment, Anti-fungal treatment for tropical durability, Highpoint paired eyepieces (F. N. 20), Abbe condenser with high performance aspheric lenses for bright & uniform illumination throughout the field of view, • MAGCAM DC5 digital camera with 0.5X TR Adopter | 01 | |

| Sl. No. | ITEM | Specifications | Qty | Price in INR |
|--------------|------------------------------|---|-----|--------------|
| 11 | MICROPHOTOGRAPHIC ATTACHMENT | <ul style="list-style-type: none"> Standard microscope set complete with Binocular head, integrated 6V 20W halogen light illuminator, Anti-Fungal coated Achromatic Objectives iNEA 4X, 10X, 40X (spring) & 100x (oil, spring), paired wide field eyepieces iCWHK 10x (F.N. 18), Anti-fungus treatment optics for tropical durability, Achromatic Objectives, Abbe condenser with high performance aspheric lenses for bright & uniform illumination throughout the field of view. Magcam DC 5 Digital camera. | 01 | |
| 12 | WATER BATH | <ul style="list-style-type: none"> Digital Water Bath, 11L Microprocessor PID Control for 0.1 Precision, Seamless Stainless Steel Bath (SUS 304) Capacity: 11 Ltrs | 01 | |
| 13 | ULTRA SONICATOR | <ul style="list-style-type: none"> Ultrasonic Cleaner Bath Capacity of 10.7 litter Built in micro process controller. Furnishing all information- Ultrasonic power, set time, elapsed time, set temperature, solution temperature, heater operation status. . Using a silicon rubber heater for durability and stability. Built in alarm function for noticing operation stop. | 01 | |
| Total Amount | | | | |

Note1:

(a) The financial bid has to be filled necessarily in the format given above and has to be signed by the authorized representative of the bidder with full name designation and seal on each page. The above quote should include Clearing and Transportation charges.

(b) Price quoted should be valid for minimum 06 months from the last date of submission of the bids.

(c) Explanatory notes, if so desired, can be separately submitted along with the financial bid but financial bid in the above format is required to be submitted.

(d) Equipment delivery time will be 45 days from the date of issue of Supply order.

(e) Please indicate separately any duties, taxes.

Note 2 : The rate may be quoted in foreign currency and/or in Indian currency, however, for comparison/evaluation purpose the bills selling market rate of exchange established by RBI for similar transaction as on date of opening of price bid shall be used to convert foreign currencies to the Indian rupees.

Note 3 : Determination of L-1 will be done based on Net amount (not including levies, taxes and duties levied by Central/State/Local governments such as excise duty, GST, Octroi/entry tax, etc. on final product) of all items/requirements as mentioned above.

Signature of tenderer _____

Name in Block letter _____

Date _____

Capacity in which Signed _____

Declaration Form

I/We M/s. _____ represented by its Proprietor /
Managing Partner / Managing Director having its Registered Office at

_____ do
hereby declare that I/We have carefully read all the conditions of tender..... **dated**
.....for supply of floated by the Food Safety Standard Authority of India,
New Delhi and accepts all terms & conditions of the Tender.

Signature and Seal of the Bidder
Name in capital letters with Designation

NOTE:

1. This should be submitted on the letter head of the bidder company/firm.

CERTIFICATE OF GUARANTEE/WARRANTY

- i. I/We certify that the standard guarantee/warranty shall be for a period of 03 years starting from the date of satisfactory installation, commissioning and handing over of the equipment and of the works conducted therewith covered under the Supply order in working order. During the guarantee/warranty period. I/we shall provide free “after sale service” and the replacement of any part(s) of the equipment or rectification of defects of work of the equipment will be free of cost. The replacement of the parts shall be arranged by us, at our own cost and responsibility. We undertake that the above guarantee/warranty shall begin only from the date of satisfactory and faultless functioning of the equipment for 60 days at **NFL, Ghaziabad** premises. The benefit of change in dates of the guarantee/warranty period shall be in the interest of the user/your organization.
 - ii. During the warranty period, we shall provide at least **02 preventive maintenance service per year**.
 - iii. Uptime Guarantee: During the guarantee/warranty period, we will be responsible to maintain the equipment in good working conditions for a period 328 days (i.e. **90% uptime**) in a block of 365 days.
 - a. All the complaints will be attended by us within 02 working days of receipt of the complaint in our office.
 - b. In case there is delay of more than 02 days in attending to a complaint from our side then you can count the number of days in excess of the permissible response time in the downtime. The above said response time of 2 days for attending to a complaint by us will not be counted in the downtime.
 - c. **Penalty:** We shall pay a penalty equivalent to **0.5 %** of the order value of the equipment for every week or part thereof delay in rectifying the defect.
- Note: The right to accept the reason (s) for delay and consider reduction or waive off the penalty for the same shall be at the sole discretion of FSSAI/Director, NFL, Ghaziabad**
- iv. We undertake that all the spares/consumables related to equipment & exclusively supplied by manufacturer/supplier of the equipment shall be covered under warranty. Nothing shall be payable on account of these items during warranty by the Buyer.
 - v. We certify that the equipment being/quoted is the latest model and that spares for the equipment will be available for a period of at least 05 years and we also guarantee that we will keep the organization informed of any up date of the equipment over a period of 5 years.
 - vi. We guarantee that in case we fail to carry out the maintenance within the stipulated period, **Director, NFL, Ghaziabad** reserves the right to get the maintenance work carried out at our risk, cost and responsibility. All the expenses including excess payment for repairs/maintenance shall be adjusted against the Performance Bank Guarantee. In case the expenses exceed the amount of Performance Bank Guarantee, the same shall be recoverable from us with/without interest in accordance with the circumstances.
 - vii. We shall try to repair the equipment at **NFL, Ghaziabad** premises itself. However, the equipment will be taken to our site on our own expenses in case it is not possible to repair the same at **NFL, Ghaziabad**. We shall take the entire responsibility for the safe custody and transportation of the equipment taken out for repairs till the equipment is rehabilitated to the **NFL, Ghaziabad** after repairs. Any loss of equipment or its accessories under its charge on account of theft, fire or any other reasons shall be at our sole risk and responsibility which will be compensated to the Buyer for such losses at the order value for the damaged/lost equipment/part, including accessories.
 - viii. We undertake to perform Quality check after every major repair/breakdown/taking the equipment for repair out of **NFL, Ghaziabad** premises.
 - ix. In case of extended guarantee/warranty, we undertake to carry out annual calibration/IPV of the equipment.

- x. We guarantee that we will supply spare parts if and when required on agreed basis for an agreed price. The agreed basis could be an agreed discount on the published catalogue price.
- xi. We guarantee to the effect that before going out of production of spare parts, we will give adequate advance notice to you so that you may undertake to procure the balance of the life time requirements of spare parts.
- xii. We guarantee the entire unit against defects of manufacture, workmanship and poor quality of components.
- xiii. We undertake to provide PM kit as per requirement to meet uptime guarantee condition.

1. Authorized signatory
(with seal)

Date

Place

2. Authorized signatory

NOTE:

1. This should be submitted on the letter head of the bidder company/firm.

FORMAT FOR NON BLACKLISTING OF SUPPLIER

I/ We _____Manufacturer/partner/Authorized Distributor/Agent (strike out which is not applicable) of (Supplier) _____ do hereby declare and solemnly affirm that the individual/firm/company is not black-listed by the Union/State Government/Autonomous body. Any partner or shareholder thereof is not directly or indirectly connected with or has any subsisting interest in business of my/our firm.

DEPONENT

Address _____

I/ We hereby solemnly declare and affirm that the above declaration is true and correct to the best of my knowledge and belief. No part of it is false and nothing has been concealed.

Dated:

DEPONENT

(Note: To be furnished on Rs.50/- non-judicial stamp paper duly attested by the Executive Magistrate/Notary Public/Oath Commissioner.)

List of Agency

1. M/s Asian Scientific Industries(Delhi), 6 UA/3, Jawahar Nagar, Delhi-7.
2. M/s International Biotech Pharmaceuticals, Building No.22-23, Karampura Shopping Centre, Near Milan Cinema, New Moti Nagar, Delhi-15.
3. M/s Hydrocarbon Solutions(India) Pvt. Ltd., No. 660, 7th Block, 2nd Phase, BSK 3rd Stage, Bangalore-560085, Karnataka.
4. M/s Arbro Pharmaceuticals Private Limited, 4/9, Kirti Nagar Industrial Area, New Delhi-15.
5. M/s White Pharmaceuticals, Building No.21, Karampura Shopping Centre, near Milan Cinema, New Moti Nagar, Block A, Delhi-15.
6. M/s Asian Scientific Instruments, 4-1-10, Tilak Road, Opposite Church Building, Hyderabad, Telangana-500001.
7. M/s LCGC Bio-Analytic Solutions LLP, LCGC Towers, 161/166, Paigah Colony, off S.P. Road, Hyderabad-500003.